

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAMLL1621

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	MAY 01	New CAS web site launched
NEWS	3	MAY 08	CA/CAPLUS Indian patent publication number format defined
NEWS	4	MAY 14	RDISCLOSURE on STN Easy enhanced with new search and display fields
NEWS	5	MAY 21	BIOSIS reloaded and enhanced with archival data
NEWS	6	MAY 21	TOXCENTER enhanced with BIOSIS reload
NEWS	7	MAY 21	CA/CAPLUS enhanced with additional kind codes for German patents
NEWS	8	MAY 22	CA/CAPLUS enhanced with IPC reclassification in Japanese patents
NEWS	9	JUN 27	CA/CAPLUS enhanced with pre-1967 CAS Registry Numbers
NEWS	10	JUN 29	STN Viewer now available
NEWS	11	JUN 29	STN Express, Version 8.2, now available
NEWS	12	JUL 02	LEMBASE coverage updated
NEWS	13	JUL 02	LMEDLINE coverage updated
NEWS	14	JUL 02	SCISEARCH enhanced with complete author names
NEWS	15	JUL 02	CHEMCATS accession numbers revised
NEWS	16	JUL 02	CA/CAPLUS enhanced with utility model patents from China
NEWS	17	JUL 16	CAPLUS enhanced with French and German abstracts
NEWS	18	JUL 18	CA/CAPLUS patent coverage enhanced
NEWS	19	JUL 26	USPATFULL/USPAT2 enhanced with IPC reclassification
NEWS	20	JUL 30	USGENE now available on STN
NEWS	21	AUG 06	CAS REGISTRY enhanced with new experimental property tags
NEWS	22	AUG 06	BEILSTEIN updated with new compounds
NEWS	23	AUG 06	FSTA enhanced with new thesaurus edition
NEWS	24	AUG 13	CA/CAPLUS enhanced with additional kind codes for granted patents
NEWS	25	AUG 20	CA/CAPLUS enhanced with CAS indexing in pre-1907 records
NEWS	26	AUG 27	Full-text patent databases enhanced with predefined patent family display formats from INPADOCDB
NEWS	27	AUG 27	USPATOLD now available on STN
NEWS	28	AUG 28	CAS REGISTRY enhanced with additional experimental spectral property data
NEWS EXPRESS	29	JUNE 2007	CURRENT WINDOWS VERSION IS V8.2, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 05 JULY 2007.
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS LOGIN			Welcome Banner and News Items
NEWS IPC8			For general information regarding STN implementation of IPC 8

10/569812 MMP - UPDATED SEARCH REG NUMBERS

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 11:55:46 ON 06 SEP 2007

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 11:56:07 ON 06 SEP 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 5 SEP 2007 HIGHEST RN 946114-43-8

DICTIONARY FILE UPDATES: 5 SEP 2007 HIGHEST RN 946114-43-8

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\2007 cases\10569812\updated search-B - claim 1 generic.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

=> s l1

10/569812 MMP - UPDATED SEARCH REG NUMBERS

SAMPLE SEARCH INITIATED 11:56:49 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 25413 TO ITERATE

7.9% PROCESSED 2000 ITERATIONS 0 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 498722 TO 517798
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 sss full
FULL SEARCH INITIATED 11:56:58 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 508224 TO ITERATE

93.0% PROCESSED 472634 ITERATIONS 19 ANSWERS
98.8% PROCESSED 502212 ITERATIONS 19 ANSWERS
100.0% PROCESSED 508224 ITERATIONS 19 ANSWERS
SEARCH TIME: 00.00.36

L3 19 SEA SSS FUL L1

=> d his


(FILE 'HOME' ENTERED AT 11:55:46 ON 06 SEP 2007)

FILE 'REGISTRY' ENTERED AT 11:56:07 ON 06 SEP 2007

L1 STRUCTURE UPLOADED
L2 0 S L1
L3 19 S L1 SSS FULL

=> d l3 1-19 ide


L3 ANSWER 1 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 865233-31-4 REGISTRY
ED Entered STN: 13 Oct 2005
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-[[4'-(trifluoromethyl)[1,1'-biphenyl]-3-yl]methoxy]- (9CI) (CA INDEX NAME)
MF C24 H20 F3 N O4
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 2 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 372082-15-0 REGISTRY
ED Entered STN: 28 Nov 2001
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-ethoxy- β -methyl-
(9CI) (CA INDEX NAME)
MF C13 H17 N O4
SR Chemical Library
Supplier: Ambinter



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 ANSWER 3 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 331430-38-7 REGISTRY
ED Entered STN: 16 Apr 2001
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-(hexyloxy)- (9CI) (CA
INDEX NAME)
MF C16 H23 N O4
SR Chemical Library
Supplier: AsInEx
LC STN Files: CHEMCATS




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 ANSWER 4 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 300589-91-7 REGISTRY
ED Entered STN: 31 Oct 2000


10/569812 MMP - UPDATED SEARCH REG NUMBERS

CN Benzenepropanoic acid, β -(aminocarbonyl)-4-(pentyloxy)- (9CI) (CA
INDEX NAME)
MF C15 H21 N O4
SR Chemical Library
Supplier: Interbioscreen Ltd.
LC STN Files: CHEMCATS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 ANSWER 5 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 115906-13-3 REGISTRY
ED Entered STN: 20 Aug 1988
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-(1-methylethyl)- (9CI)
(CA INDEX NAME)
MF C13 H17 N O3
SR CA
LC STN Files: BEILSTEIN*, CA, CAPLUS
(*File contains numerically searchable property data)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L3 ANSWER 6 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 107065-64-5 REGISTRY
ED Entered STN: 14 Mar 1987
CN Poly[imino-1,4-phenyleneimino[2-(carboxymethyl)-1-oxo-1,2-ethanediyl]-1,4-
phenylene[1-(carboxymethyl)-2-oxo-1,2-ethanediyl]] (9CI) (CA INDEX NAME)
MF (C₂₀ H₁₈ N₂ O₆)_n
CI PMS
PCT Polyamide

SR CA
LC STN Files: CA, CAPLUS




1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 7 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 107040-12-0 REGISTRY
ED Entered STN: 14 Mar 1987
CN Poly[imino-1,3-phenyleneimino[2-(carboxymethyl)-1-oxo-1,2-ethanediyl]-1,4-phenylene[1-(carboxymethyl)-2-oxo-1,2-ethanediyl]] (9CI) (CA INDEX NAME)
MF (C20 H18 N2 O6)n
CI PMS
PCT Polyamide
SR CA
LC STN Files: CA, CAPLUS




1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 8 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 107040-11-9 REGISTRY
ED Entered STN: 14 Mar 1987
CN Poly[imino(3,3'-dimethoxy[1,1'-biphenyl]-4,4'-diyl)imino[2-(carboxymethyl)-1-oxo-1,2-ethanediyl]-1,4-phenylene[1-(carboxymethyl)-2-oxo-1,2-ethanediyl]] (9CI) (CA INDEX NAME)
MF (C28 H26 N2 O8)n
CI PMS
PCT Polyamide
SR CA
LC STN Files: CA, CAPLUS




1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 9 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 107039-94-1 REGISTRY
ED Entered STN: 14 Mar 1987
CN Poly[imino(3,3'-dimethoxy[1,1'-biphenyl]-4,4'-diyl)imino[2-(carboxymethyl)-1-oxo-1,2-ethanediyl]-1,3-phenylene[1-(carboxymethyl)-2-oxo-1,2-ethanediyl]] (9CI) (CA INDEX NAME)
MF (C28 H26 N2 O8)n
CI PMS
PCT Polyamide
SR CA
LC STN Files: CA, CAPLUS




1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 10 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 107039-93-0 REGISTRY
ED Entered STN: 14 Mar 1987
CN Poly[imino-1,4-phenyleneimino[2-(carboxymethyl)-1-oxo-1,2-ethanediyl]-1,3-phenylene[1-(carboxymethyl)-2-oxo-1,2-ethanediyl]] (9CI) (CA INDEX NAME)
MF (C20 H18 N2 O6)n
CI PMS
PCT Polyamide
SR CA
LC STN Files: CA, CAPLUS




1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 11 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 107039-92-9 REGISTRY
ED Entered STN: 14 Mar 1987
CN Poly[imino-1,3-phenyleneimino[2-(carboxymethyl)-1-oxo-1,2-ethanediyl]-1,3-phenylene[1-(carboxymethyl)-2-oxo-1,2-ethanediyl]] (9CI) (CA INDEX NAME)
MF (C20 H18 N2 O6)n
CI PMS
PCT Polyamide
SR CA
LC STN Files: CA, CAPLUS



1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 12 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 101730-69-2 REGISTRY
ED Entered STN: 26 Apr 1986
CN Succinamic acid, 3,3-bis(p-methoxyphenyl)- (6CI) (CA INDEX NAME)
MF C18 H19 N O5
SR CAOLD
LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS
(*File contains numerically searchable property data)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

10/569812 MMP - UPDATED SEARCH REG NUMBERS

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)


L3 ANSWER 13 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 91642-28-3 REGISTRY
ED Entered STN: 16 Nov 1984
CN Succinamic acid, 3-(p-methoxyphenyl)-3-methyl- (6CI, 7CI) (CA INDEX NAME)
MF C12 H15 N O4
LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)
2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

L3 ANSWER 14 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 72058-22-1 REGISTRY
ED Entered STN: 16 Nov. 1984
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-(1-methylethoxy)- (9CI)
(CA INDEX NAME)
MF C13 H17 N O4
LC STN Files: CA, CAPLUS




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 15 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 38499-27-3 REGISTRY
ED Entered STN: 16 Nov 1984
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-propoxy- (9CI) (CA INDEX NAME)

MF C13 H17 N O4

LC STN Files: BEILSTEIN*, CA, CAPLUS
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 16 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN


RN 38499-26-2 REGISTRY

ED Entered STN: 16 Nov 1984

CN Benzenepropanoic acid, β-(aminocarbonyl)-4-ethoxy- (9CI) (CA INDEX NAME)

MF C12 H15 N O4

LC STN Files: BEILSTEIN*, CA, CAPLUS
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 17 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN


RN 38499-25-1 REGISTRY

ED Entered STN: 16 Nov 1984

CN Benzenepropanoic acid, β-(aminocarbonyl)-4-methoxy- (9CI) (CA INDEX NAME)

MF C11 H13 N O4


LC STN Files: BEILSTEIN*, CA, CAPLUS, CHEMCATS
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L3 ANSWER 18 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 36943-46-1 REGISTRY
ED Entered STN: 16 Nov 1984
CN Benzenepropanoic acid, β -(aminocarbonyl)- α -oxo-2-(phenylthio)-
(9CI) (CA INDEX NAME)
OTHER NAMES:
CN Carbamoyl(o-phenylthiophenyl)pyruvic acid
MF C16 H13 N O4 S
LC STN Files: BEILSTEIN*, CA, CAPLUS, IFICDB, IFIPAT, IFIUDB, USPATOLD
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 19 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 32857-82-2 REGISTRY
ED Entered STN: 16 Nov 1984
CN Malonic acid, (p-butoxy- α -carbamoylbenzyl)- (8CI) (CA INDEX NAME)
MF C15 H19 N O6
LC STN Files: BEILSTEIN*, CA, CAPLUS
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> e l3 1-19 rn

E1	2	L2Z/BI
E2	9017	L3/BI
E3	0	--> L3 1-19 RN/BI
E4	3	L3'/BI
E5	1	L3.0/BI
E6	1	L3.01/BI
E7	1	L3.02/BI
E8	1	L3.03/BI
E9	1	L3.04/BI
E10	1	L3.05/BI
E11	1	L3.06/BI
E12	1	L3.07/BI

=> d l3 1-19 rn

L3	ANSWER 1 OF 19	REGISTRY	COPYRIGHT 2007 ACS on STN
RN	865233-31-4	REGISTRY	
L3	ANSWER 2 OF 19	REGISTRY	COPYRIGHT 2007 ACS on STN
RN	372082-15-0	REGISTRY	
L3	ANSWER 3 OF 19	REGISTRY	COPYRIGHT 2007 ACS on STN
RN	331430-38-7	REGISTRY	
L3	ANSWER 4 OF 19	REGISTRY	COPYRIGHT 2007 ACS on STN
RN	300589-91-7	REGISTRY	
L3	ANSWER 5 OF 19	REGISTRY	COPYRIGHT 2007 ACS on STN
RN	115906-13-3	REGISTRY	
L3	ANSWER 6 OF 19	REGISTRY	COPYRIGHT 2007 ACS on STN
RN	107065-64-5	REGISTRY	
L3	ANSWER 7 OF 19	REGISTRY	COPYRIGHT 2007 ACS on STN
RN	107040-12-0	REGISTRY	
L3	ANSWER 8 OF 19	REGISTRY	COPYRIGHT 2007 ACS on STN
RN	107040-11-9	REGISTRY	
L3	ANSWER 9 OF 19	REGISTRY	COPYRIGHT 2007 ACS on STN
RN	107039-94-1	REGISTRY	

10/569812 MMP - UPDATED SEARCH REG NUMBERS

L3 ANSWER 10 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 107039-93-0 REGISTRY

L3 ANSWER 11 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 107039-92-9 REGISTRY

L3 ANSWER 12 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 101730-69-2 REGISTRY

L3 ANSWER 13 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 91642-28-3 REGISTRY

L3 ANSWER 14 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 72058-22-1 REGISTRY

L3 ANSWER 15 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 38499-27-3 REGISTRY

L3 ANSWER 16 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 38499-26-2 REGISTRY

L3 ANSWER 17 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 38499-25-1 REGISTRY

L3 ANSWER 18 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 36943-46-1 REGISTRY

L3 ANSWER 19 OF 19 REGISTRY COPYRIGHT 2007 ACS on STN
RN 32857-82-2 REGISTRY

=> d his

(FILE 'HOME' ENTERED AT 11:55:46 ON 06 SEP 2007)

FILE 'REGISTRY' ENTERED AT 11:56:07 ON 06 SEP 2007

L1 STRUCTURE UPLOADED
L2 0 S L1
L3 19 S L1 SSS FULL
E L3 1-19 RN

=> file hcaplus

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
214.68	214.89

FULL ESTIMATED COST

FILE 'HCAPLUS' ENTERED AT 11:58:43 ON 06 SEP 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching

databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 6 Sep 2007 VOL 147 ISS 11
FILE LAST UPDATED: 5 Sep 2007 (20070905/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l3

L4 11 L3

=> d l4 1-11 ibib abs

L4 ANSWER 1 OF 11 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:1026833 HCAPLUS

DOCUMENT NUMBER: 143:326090

TITLE: Preparation of arylmethoxyphenyl-alkylcarboxylic acids and related derivatives for use in treating metabolic disorders

INVENTOR(S): Akerman, Michelle; Houze, Jonathan; Lin, Daniel C. H.; Liu, Jiwen; Luo, Jian; Medina, Julio C.; Qiu, Wei; Reagan, Jeffrey D.; Sharma, Rajiv; Shuttleworth, Stephen J.; Sun, Ying; Zhang, Jian; Zhu, Liusheng

PATENT ASSIGNEE(S): Amgen Inc., USA; et al.

SOURCE: PCT Int. Appl., 163 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005086661	A2	20050922	WO 2005-US5815	20050224
WO 2005086661	A3	20060504		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2005220728	A2	20050922	AU 2005-220728	20050224
AU 2005220728	A1	20050922		
CA 2558585	A1	20050922	CA 2005-2558585	20050224
EP 1737809	A2	20070103	EP 2005-723623	20050224
R:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, BA, HR, LV, MK, YU			
CN 1946666	A	20070411	CN 2005-80012709	20050224
BR 2005008098	A	20070717	BR 2005-8098	20050224

10/569812 MMP - UPDATED SEARCH REG NUMBERS

US 2006004012	A1	20060105	US 2005-67377	20050225
MX 2006PA09793	A	20061030	MX 2006-PA9793	20060828
US 2007142384	A1	20070621	US 2006-591214	20060828
IN 2006DN05525	A	20070817	IN 2006-DN5525	20060922
NO 2006004362	A	20061122	NO 2006-4362	20060926
PRIORITY APPLN. INFO.:			US 2004-548741P	P 20040227
			US 2004-601579P	P 20040812
			WO 2005-US5815	W 20050224

OTHER SOURCE(S): MARPAT 143:326090
GI



II

AB Title compds. Q-L1-P-L2-M-X-L3-A [Q = H, (hetero)aryl, alkyl, etc.; L1 = bond, alkylene, heteroalkylene, O, etc.; P = (hetero)aromatic, cycloalkylene, etc.; L2 = bond, alkylene, heteroalkylene, etc.; M = (hetero)aromatic, cycloalkylene, arylalkylene, etc.; X = divalent alkyl, (un)substituted-N; O, SOO-2; L3 = bond, alkylene, heteroalkylene, etc.; A = COOH, tetrazolyl, SO3H, PO3H2, etc.; I] are prepared For instance, (S)-3-[4-((4'-trifluoromethyl-1,1'-biphenyl-3-yl)methoxy)phenyl]hexan-4-ynoic acid (II) is prepared in 5 steps from (S)-3-(4-hydroxyphenyl)hexan-4-ynoic acid Me ester (preparation given), 4-(trifluoromethyl)phenylboronic acid and 3-bromobenzoic acid. II has an EC50 < 0.1 μ M for human G protein-coupled receptor GPR40. I are useful for the treatment of type II diabetes.

L4 ANSWER 2 OF 11 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1988:486102 HCAPLUS

DOCUMENT NUMBER: 109:86102

TITLE: Succinimide derivatives: chemical structure-anticonvulsant activity relation

AUTHOR(S): Avetisyan, S. A.; Nesunts, N. S.; Buyukyan, N. S.; Mndzhoyan, O. L.; Dzhagatspanyan, I. A.; Nazaryan, I. M.; Akopyan, N. E.

CORPORATE SOURCE: Inst. Tonkoi Org. Khim. im. Mndzhoyana, Yerevan, USSR

SOURCE: Khimiko-Farmatsevticheskii Zhurnal (1988), 22(4), 433-8


CODEN: KHFZAN; ISSN: 0023-1134

DOCUMENT TYPE: Journal

LANGUAGE: Russian

OTHER SOURCE(S): CASREACT 109:86102

GI



AB Succinimides (I, R = 4-isopropylphenyl, or 4-cyclopropylphenyl) were prepared by the conversion of the corresponding benzyl chlorides to aldehydes, Knoevenagel reaction with di-Et malonate, HCN addition to the resulting ylidene malonates, hydrolysis, amidation-hydrolysis and cyclization. Treatment of I (R = 4-isopropoxyphenyl) with N_2H_4 gave N,N'-bis(p-isopropoxyphenylsuccinimide) (II, R = p-isopropoxyphenyl, n = 0). Similarly, other II (R = p-isopropoxyphenyl and n = 1-10) were prepared. Of all the compds. studied, I (R = 4-isopropylphenyl, or 4-cyclopropylphenyl) and II (R = 4-isopropoxyphenyl and n = 0, 1, 2, 3, or 4) were completely devoid of the ability to prevent nicotinic hyperkinesis and arecoline tremors, as shown in mice. However, I and pufamide showed anticonvulsant activity in relation to corazole and elec. shock. Antagonism to corazole was observed in 50% of the animals at 68 and 90 mg/kg for I (R = 4-isopropylphenyl and 4-cyclopropylphenyl), resp., and to elec. shock at doses 92 and 94 mg/kg. Structure-activity relations are discussed.

L4 ANSWER 3 OF 11 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1987:102756 HCAPLUS

DOCUMENT NUMBER: 106:102756

TITLE: Aliphatic polyimides from phenylene bis(succinic anhydride) and bis(glutaric anhydride)

AUTHOR(S): Teshirogi, Takuma

CORPORATE SOURCE: Macromol. Res. Lab., Yamagata Univ., Yonezawa, 992, Japan

SOURCE: Journal of Polymer Science, Part A: Polymer Chemistry (1987), 25(1), 31-6
CODEN: JPACEC; ISSN: 0887-624X

DOCUMENT TYPE: Journal

LANGUAGE: English

AB m- And p-derivs. of phenylene bis(succinic anhydride) and bis(glutaric anhydride) were obtained from 1,3- [77104-43-9] and 1,4-bis(β-cyano-β-carbethoxyvinyl)benzene [47375-13-3] with KCN or Meldrum's acid followed by hydrolysis with concentrated HCl and dehydration with Ac_2O .

Aliphatic polyimides were prepared from these anhydrides with 6 aromatic diamines through thermal ring closure of polyamic acids obtained by solution polymerization in AcNMe_2 , and thermal stability of these polyimides was examined by thermogravimetric anal.

L4 ANSWER 4 OF 11 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1979:611103 HCAPLUS

DOCUMENT NUMBER: 91:211103


TITLE: Antispasmodic

INVENTOR(S): Mndzhoyan, O. L.; Avetisyan, S. A.; Akopyan, N. E.; Gerasimyan, D. A.

PATENT ASSIGNEE(S): Institute of Fine Organic Chemistry, Academy of Sciences, Armenian S.S.R., USSR

SOURCE: Ger. Offen., 26 pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2759051	A1	19790712	DE 1977-2759051	19771230
PRIORITY APPLN. INFO.: GI			DE 1977-2759051	A 19771230



AB The phenylsuccinimide I, useful as a muscle relaxant in treating epilepsy with mild seizures, was prepared Thus, 4-Me2CHOC6H4CH(CO2H)CH2CO2H was warmed 2-3 h with Ac2O to give the corresponding succinic anhydride, which, in EtOAc, was treated with NH3-Et2O to give the 2 isomeric α -(4-isopropoxyphenyl)succinamidic acids. These were cyclized by heating to 200-20° with H2O removal to give 68-70% I. Tests of I with mice and rats gave ED50 86, 110, 77, and 90 mg/kg as a muscle relaxant in the korasol, strychnine, electroshock, and camphor tests, resp.

L4 ANSWER 5 OF 11 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1977:439351 HCAPLUS
 DOCUMENT NUMBER: 87:39351
 TITLE: Studies of semisynthetic penicillins. XI. The 6-aminopenicillane derivatives of p-alkoxyphenyl- and p-alkoxybenzylsuccinic acids. Ester penicillins
 AUTHOR(S): Mndzhoyan, Sh. L.; Manucharyan, I. Z.; Bil'bulyan, S. Z.; Ter-Zakharyan, Yu. Z.; Paronikyan, R. V.; Kazaryan, E. V.; Mndzhoyan, A. L.
 CORPORATE SOURCE: Inst. Tonkoi Org. Khim. im. Mndzhoyana, Yerevan, USSR
 SOURCE: Khimiko-Farmatsevticheskii Zhurnal (1977), 11(3), 49-53
 CODEN: KHFZAN; ISSN: 0023-1134
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian
 GI



AB Penicillanic acid derivs. I and II [R1 = p-(C1-4 alkoxy)phenyl, p-(C1-4 alkoxy)benzyl] were obtained in 40-64% yields by treating 6-aminopenicillanic acid with the corresponding Me esters of succinic acid. I and II are effective bactericides.

L4 ANSWER 6 OF 11 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1972:539560 HCAPLUS
DOCUMENT NUMBER: 77:139560
TITLE: Ammonolysis of p-alkoxyphenylsuccinic acid anhydrides
AUTHOR(S): Avetisyan, S. A.; Midzhoyan, O. L.
CORPORATE SOURCE: Inst. Tonkoi Org. Khim. im. Mndzhoyana, Erevan, USSR
SOURCE: Armyanskii Khimicheskii Zhurnal (1972), 25(6), 512-17
CODEN: AYKZAN; ISSN: 0515-9628
DOCUMENT TYPE: Journal
LANGUAGE: Russian

AB Ammonolysis of p-alkoxy-phenylsuccinic acid anhydrides gave an α -isomer, p-ROC6H4CH-(CONH2)CH2CO2H (R = Me, Et, Br), and larger amts. of a β -isomer, p-ROC6H4CH(CO2H)CH2CONH2, compared with the unsubstituted phenyl analogs which gave the opposite ratio of α - and β -isomers. The increase in the β -isomer with alkoxy substitution was explained by its resonance effect.

L4 ANSWER 7 OF 11 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1972:514271 HCAPLUS
DOCUMENT NUMBER: 77:114271
TITLE: N-Substituted debenzo[b,f]thiepin-10-ylmethyamines and related intermediates
INVENTOR(S): Gosteli, Jacques
PATENT ASSIGNEE(S): Ciba-Geigy A.-G.
SOURCE: Ger. Offen., 85 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2165260	A	19720727	DE 1971-2165260	19711229
CH 550189	A	19740614	CH 1971-243	19710108
DD 95395	A5	19730212	DD 1971-159981	19711229
ZA 7108705	A	19720927	ZA 1971-8705	19711230
US 3787444	A	19740122	US 1971-214475	19711230
NL 7118218	A	19720711	NL 1971-18218	19711231
AT 313904	B	19740311	AT 1972-85	19720105
BE 777752	A1	19720706	BE 1972-112594	19720106
FR 2121665	A5	19720825	FR 1972-460	19720107
HU 163513	B	19730927	HU 1972-CI1199	19720107
PRIORITY APPLN. INFO.:			CH 1971-243	A 19710108

GI For diagram(s), see printed CA Issue.

AB Antiinflammatory dibenzothiepinylmethyamines (I, R = CH2NH2, CH2NHMe, CH2NMe2, CH2NEt2, pyrrolidinomethyl, piperidinomethyl, piperazinomethyl; R1 and R2 = H, Cl, OMe) were prepared from I (R = CO2H) via the chloride and carboxamide, which was reduced with LiAlH4. I (R = CO2H) were also prepared, e.g. by condensing PhSH with o-ClC6H4CHO, followed by hippuric acid to give 2-phenyl-4-(o-phenylthiobenzylidene)-2-oxazolin-5-one, which was hydrolyzed to o-PhSC6H4CH2CO-CO2H, and subjected to acid cyclization to give I (R = CO2H, R1 = R2 = H).

L4 ANSWER 8 OF 11 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1971:448636 HCAPLUS

DOCUMENT NUMBER: 75:48636

TITLE: Derivatives of dibasic carboxylic acids. XXXIV.
N-Methyl- α -(p-alkoxyphenyl)succinimides

AUTHOR(S): Avetisyan, S. A.; Mndzhoyan, O. L.

CORPORATE SOURCE: Inst. Tonkoi Org. Khim., Erevan, USSR

SOURCE: Armyanskii Khimicheskii Zhurnal (1971), 24(2), 137-45
CODEN: AYKZAN; ISSN: 0515-9628

DOCUMENT TYPE: Journal

LANGUAGE: Russian

AB Di-Et malonate was condensed with p-ROC₆H₄CHO in the presence of piperidine and AcOH to give 54-87% p-ROC₆H₄CH:C(CO₂Et)₂ (I, R = Me, Et, Pr, iso-Pr, Bu, iso-Bu, amyl, isoamyl). Addition of HCN from aqueous-alc.

NaCN to I gave a mixture of β -(p-alkoxyphenyl)- β -cyanopropionic (II), (p-alkoxyphenyl)succinamic (III), and (p-alkoxyphenyl)succinic acids. II are formed predominantly from I (R = Me, Et, Pr). I (R = Bu) yielded a mixture which gave (p-butoxyphenyl)succinimide and (p-butoxyphenyl)- β -acrylic acid on heating. Anhydrides of substituted succinic acids were obtained by treating the acids with Ac₂O. The N-Me derivs. of III were obtained from the anhydrides and MeNH₂ at room temperature. N-Methyl(p-alkoxyphenyl)succinimides were obtained by heating III. The spasmolytic activities of III are lower than those of N-substituted (p-alkoxyphenyl)succinimides. Thus, N-methylation increases the spasmolytic activity of phenyl succinimides but reduces it in their p-alkoxy derivs.

L4 ANSWER 9 OF 11 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1963:39491 HCAPLUS

DOCUMENT NUMBER: 58:39491

ORIGINAL REFERENCE NO.: 58:6665e-h,6666a-c

TITLE: Syntheses and physical chemical studies of substituted ethyl 2-cyano-2-propenoates and their derivatives. II. Preparation of substituted ethyl 2,3-dicyanopropanoates and the study of the mechanism of their hydrolysis. The corresponding succinic acids and some of their nitrogen derivatives

AUTHOR(S): Carrie, Robert

CORPORATE SOURCE: Univ. Rennes, Fr.

SOURCE: Bulletin de la Societe Scientifique de Bretagne (1962), 37, 29-58
CODEN: BSSBAS; ISSN: 0037-9581

DOCUMENT TYPE: Journal

LANGUAGE: Unavailable

AB RR'C:C(CN)CO₂Et (10 g.) and 30 mL. EtOH were mixed at 95°, the solution boiled and 5 g. KCN in 15 mL. H₂O added, the mixture refluxed and cooled, made acid with HCl, and diluted with 180 mL. H₂O; an oil separated and was extracted with Et₂O, dried, and NCCRR'CH(CN)CO₂Et (II) obtained by distillation

in vacuo. The following II were prepared (R, R', % yield, and m.p. or b.p. given): Ph, H, 90, m. (65°; Ph, Me, --, m. 77-8°; 4-O₂NC₆H₄, Me, --, m. 76°; 4-Cl-C₆H₄, Me, --, b1 170°; 4-MeC₆H₄, Me, --, b1 171-3°; 4-MeOC₆H₄, Me, --, b3 198-200°. Other II prepared were: Ph, Ph; Ph, PhCH₂; PhCH₂, PhCH₂. A dicyanopropanoate ester (5 g.) was dissolved in 70 g. 93% H₂SO₄, and the solution kept 6 h. at room temperature and poured onto crushed ice to give H₂NOCCRR'CH(CONH₂)CO₂Et (III). III prepared in this manner were (R, R', and m.p. given): Ph, H,

252-4°; Ph, Me, 186-7°; 4-O₂NC₆H₄, Me, 193-4°;
4-ClC₆H₄, Me, 207-8°; 4-MeC₆H₄, Me, 174°; 4-MeOC₆H₄, Me,
204°; Ph, Ph, 154°. Diamide ester (2 g.) was dissolved in a
solution of 1 g. NaOH in 20 mL. 50% alc., the resulting solution diluted with

50

mL. H₂O, and acidified with HCl to precipitate IV. IV prepared by this method
were

(R, R', and m.p. given): Ph, H, 218°; Ph, Me, 201-2°;
4-O₂NC₆H₄, Me, 235-6°; 4-ClC₆H₄, Me, 213°; 4-MeC₆H₄, Me,
186°; 4-MeOC₆H₄, Me, 180-2°. This treatment of III (R = R'
= Ph) gave the Na salt of the diamide acid, m. 247-50°, and
acidification of the salt with HCl gave the diamide acid. m.
135-40°. NCCRR'CH₂CN (V, R = Ph, R' = H) was prepared by treating I
(R = Ph, R' = H) with KCN in alc. at boiling, yield 55-60%, m. 65°.
II (R = 4-XC₆H₄, R' = Me) (10 g.) was saponified with N Na₂CO₃ in 200 mL. 50%
H₂O-alc. containing 5 g. KCN by refluxing 2-3 h. and the mixture was poured

into

500-600 mL. H₂O to give 4-XC₆H₄CMe-(CN)CH₂CN (VI) (X, % yield, and m.p.
given): NO₂, 52-6, 139°; Cl, 75-80, 49°; H, 76-80,
29°; Me, 82-5, 49-50°; MeO, 81-4, 51-2°; OH, 78-81,
110-20°; NH₂, 75-8, 69°. Similarly prepared was
2,2-diphenylsuccinonitrile, 85-90% yield, m. 112°. Various
2-methyl-2-arylsuccinamides were prepared by treatment of the
succinonitriles with cold concentrated H₂SO₄ (aryl, % yield, and m.p. given):
4-O₂NC₆H₄, 75, 184°; 4-ClC₆H₄, 40, 195°; Ph, 30,
145°; 4-MeC₆H₄, 40, 196°. Some of these succinonitriles
were converted to the corresponding cyano amides when heated with 0.25N
NaOH (50% H₂O-alc.). Comps. prepared, where R = 4-XC₆H₄ and R' = Me, were
(X and m.p. given): NO₂, 296-8°; Cl, 247-8°; H,
258-60°; 255-6°; MeO, 249-50°; NH₂, 260°. The
reaction mixture, after separation of amide nitrile, was acidified to give IV

(R

= p-XC₆H₄, R' = Me) (X and m.p. given): NO₂, 159°; Cl, 152°;
H, 81°; Me, 102°; MeO, 108°; NH₂, 154°. Some
amide acids, RR'C(CONH₂)CH₂CO₂H, were isolated: X (as above) = NO₂, Cl,
and MeO, in yields of 6-7, 7-8, and 11-12%, resp. Alkaline hydrolysis of some
succinonitriles gave the corresponding succinic acids, HO₂CCRR'CH₂CO₂H
(VII) (R, R', % yield, and m.p. given): Ph, H, 78-88, 167°; Ph, Ph,
88-9, 107-9°; VII (R' = Me, R = 4-XC₆H₄) (X given): 85, --; Cl, 93,
185°; Me, 85, 187-8°; MeO, 95, 185°; OH, 90,
196-7°; NO₂, 55, 142°; NH₂, 80, decomposed 216-18°.
VII were treated with MeOH and concentrated H₂SO₄ to form the mono- and di-Me
esters (R' = Me, R = 4-XC₆H₄) (X, yield, and m.p. of half ester, yield of
diester given): Cl, 66, 90-1°, 24; Me, 60, 82-3°, 22; Me,
68, 91-2°, 27. The acid group of the monoester was on the
substituted C. The half ester of α-methyl-α-(4-
methylphenyl)succinic acid gave the di-Me ester after treatment with
Me₂SO₄, m. 38°. Half esters where the acid group was on the
unsubstituted C were prepared by treatment of the diester with NaOH in alc.
Comps. prepared were (X as above, % yield, and m.p. given): Cl, 52,
80°; MeO, 58, 105°; Me, 46, 105°.

L4 ANSWER 10 OF 11 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1961:59332 HCAPLUS

DOCUMENT NUMBER: 55:59332

ORIGINAL REFERENCE NO.: 55:11353e-h

TITLE: Careful hydrolysis of some substituted
2-phenyl-2-methyl-3-carbethoxysuccinonitriles

AUTHOR(S): Carrie, Robert

CORPORATE SOURCE: Fac. sci. Rennes, Fr.
 SOURCE: Compt. rend. (1960), 251, 2981-3
 DOCUMENT TYPE: Journal
 LANGUAGE: Unavailable

AB When X-substituted derivs. of title compound, generally 2-methyl-2-[4-(X-substituted)-phenyl]-3-carbethoxysuccinonitrile (I), were hydrolyzed with hot N Na₂CO₃ in H₂O-EtOH, 1st the carbethoxy group was hydrolyzed, then the unstable carboxy group eliminated to give 2-methyl-2-[4-(X-substituted)phenyl]succinonitrile (II). From I the following II were obtained (X, m.p., % yield, and reaction time in hrs. given): NO₂, 139°, 52-6, 2.5; Cl, 49°, 75-80, 3; H, 29°, 76-80, 3; Me, 49-50°, 83-5, 3; OMe, 51-2°, 81-4, 2.5; OH, 119-120°, 78-81, 3; NH₂, 69°, 75-81, 2. I hydrolyzed with N/2 NaOH by boiling 0.5 hr. in H₂O-EtOH gave 25% 2-methyl-2-[4-(X-substituted)-phenyl]succino-1-nitrile-4-amide (III) or 2-methyl-2-[4-(X-substituted)-phenyl] succino-4-nitrile-1-amide (IV) and 45% 2-methyl-2-[4-(X-substituted)-phenyl]-succinimide (V). III or IV prepared were (X and m.p. given): NO₂, 296-8°; Cl, 247-8°; H, 258-60°; Me, 255-6°; OMe, 249-50° (with 0.5H₂O); NH₂, 260° (with 0.5H₂O). V prepared were: NO₂, 159°; Cl, 152°; H, 81°; Me, 102°; OMe, 108°; NH₂, 154°. II hydrolyzed with N NaOH in H₂O-EtOH by boiling 1 hr. gave 26-30% V, but also 2-methyl-2-[4-(X-substituted)-phenyl] succinic 4-acid-1-amide (VI) and 2-methyl-2-[4-(X-substituted)-phenyl]succinic acid (VII). II gave the following V (X, % yield, and m.p. given): NO₂, 29, 180°; Cl, 16, 197-8°; OMe, 33, 189°. I treated with cold 93% H₂SO₄ 6 hrs. gave 2-methyl-2-[4-(X-substituted)-phenyl]-3-carbethoxysuccindiamide (VIII) and 2-methyl-2-[4-(X-substituted)-phenyl]-3-carbamoylsuccinimide (IX). I gave the following VIII: NO₂, 193-4°; Cl, 207-8°; Me, 174°; OMe, 204°. The following IX: NO₂, 235-6°; Cl, 213°; Me, 186°; OMe, 180-2°. It was found that the electronic influence of X-substitution on the reactivity of I or II was weak.

L4 ANSWER 11 OF 11 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1958:50475 HCAPLUS
 DOCUMENT NUMBER: 52:50475
 ORIGINAL REFERENCE NO.: 52:9044c-f
 TITLE: α,α -Bis(p-methoxyphenyl)succinic acid
 AUTHOR(S): Salmon-Legagneur, Francois; Bobin, Claude
 SOURCE: Compt. rend. (1957), 245, 1810-13
 DOCUMENT TYPE: Journal
 LANGUAGE: Unavailable
 OTHER SOURCE(S): CASREACT 52:50475

AB cf. C.A. 33, 62854. [Y throughout this abstract = p-MeOC₆H₄.] The procedure previously used for the preparation of HO₂CCPh₂CH₂CO₂H has made possible the preparation of a series of α,α -di-Ph acids of the type HO₂CCPh₂(CH₂)_nCO₂H, where n = 1 to 11. Y₂CHCN (I), m. 154°, was prepared by reaction of YCHO with HCN and condensation of the YCH(OH)CN with PhOMe. I, in C₆H₆, with NaNH₂ and BrCH₂CO₂Et gave NCCY₂CH₂CO₂Et, m. 78°; Me ester analog, m. 67-8°. With KOH was obtained the free acid, m. 185°, which, with 2:1 HCl and HOAc gave HO₂CCY₂CH₂CO₂H, m. 212-13°, forming the anhydride, m. 86-7°, with Ac₂O. RO₂CCY₂CH₂CO₂R' (R, R', and m.p. given) were similarly prepared: H, Me, 128-30°; H, Et, 129°; Me, H, 122°; Et, H, 104°; Me, Me, 81°; Et, Et, 101°; Me, Et, 78°; Et, Me, 86-7°. Amido derivs. of the type H₂NOCPh₂CH₂CO₂R were obtained by hydration in the cold with 85% H₂SO₄ of NCCPh₂CH₂CO₂R (R and m.p. given): H, 156°; Me, 130-1°; Et, 115°.

α,α -Bis-p-methoxyphenylsuccinimide, m. 198°, was obtained from one of the ester amides with dilute NaOH. This reaction shows that the two carboxyls must be very close, since cyclization is accomplished under conditions usually employed for the hydrolysis of cyclic imides.

=> fil stng

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	33.73	248.62
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-8.58	-8.58

FILE 'STNGUIDE' ENTERED AT 11:59:09 ON 06 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Aug 31, 2007 (20070831/UP).

=> file stng

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.50	250.12
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-8.58

FILE 'STNGUIDE' ENTERED AT 12:14:21 ON 06 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Aug 31, 2007 (20070831/UP).

=> fil reg

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.48	250.60
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-8.58

FILE 'REGISTRY' ENTERED AT 12:19:26 ON 06 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 5 SEP 2007 HIGHEST RN 946114-43-8
DICTIONARY FILE UPDATES: 5 SEP 2007 HIGHEST RN 946114-43-8

10/569812 MMP - UPDATED SEARCH REG NUMBERS

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> d his

(FILE 'HOME' ENTERED AT 11:55:46 ON 06 SEP 2007)

FILE 'REGISTRY' ENTERED AT 11:56:07 ON 06 SEP 2007

L1 STRUCTURE UPLOADED
L2 0 S L1
L3 19 S L1 SSS FULL
 E L3 1-19 RN

FILE 'HCAPLUS' ENTERED AT 11:58:43 ON 06 SEP 2007

L4 11 S L3

FILE 'STNGUIDE' ENTERED AT 11:59:09 ON 06 SEP 2007

FILE 'STNGUIDE' ENTERED AT 12:14:21 ON 06 SEP 2007

FILE 'REGISTRY' ENTERED AT 12:19:26 ON 06 SEP 2007

=> S 865233-31-4/RN or 372082-15-0/RN or 331430-38-7/rn or 300589-91-7/RN or
115906-13-3/rn Or 107065-64-5/rn or 107040-12-0/RN or 107040-11-9/RN or
107039-94-1/rn

 1 865233-31-4/RN
 1 372082-15-0/RN
 1 331430-38-7/RN
 1 300589-91-7/RN
 1 115906-13-3/RN
 1 107065-64-5/RN
 1 107040-12-0/RN
 1 107040-11-9/RN
 1 107039-94-1/RN
L5 9 865233-31-4/RN OR 372082-15-0/RN OR 331430-38-7/RN OR 300589-91
 -7/RN OR 115906-13-3/RN OR 107065-64-5/RN OR 107040-12-0/RN
 OR 107040-11-9/RN OR 107039-94-1/RN


=> S 107039-93-0/RN or 107039-92-9/rn or 101730-69-2/RN or 91642-28-3/rn or
72058-22-1/rn or 38499-27-3/RN or 38499-26-2/RN or 38499-25-1/RN or
36943-46-1/RN or 32857-82-2/rn

 1 107039-93-0/RN
 1 107039-92-9/RN
 1 101730-69-2/RN
 1 91642-28-3/RN
 1 72058-22-1/RN
 1 38499-27-3/RN
 1 38499-26-2/RN

1 38499-25-1/RN
1 36943-46-1/RN
1 32857-82-2/RN
L6 10 107039-93-0/RN OR 107039-92-9/RN OR 101730-69-2/RN OR 91642-28-3/RN OR 72058-22-1/RN OR 38499-27-3/RN OR 38499-26-2/RN OR 38499-25-1/RN OR 36943-46-1/RN OR 32857-82-2/RN

=> d 15 1-9 ide


L5 ANSWER 1 OF 9 REGISTRY COPYRIGHT 2007 ACS on STN
RN 865233-31-4 REGISTRY
ED Entered STN: 13 Oct 2005
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-[[4'-(trifluoromethyl)[1,1'-biphenyl]-3-yl]methoxy]- (9CI) (CA INDEX NAME)
MF C24 H20 F3 N O4
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 2 OF 9 REGISTRY COPYRIGHT 2007 ACS on STN
RN 372082-15-0 REGISTRY
ED Entered STN: 28 Nov 2001
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-ethoxy- β -methyl- (9CI) (CA INDEX NAME)
MF C13 H17 N O4
SR Chemical Library
Supplier: Ambinter




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L5 ANSWER 3 OF 9 REGISTRY COPYRIGHT 2007 ACS on STN
RN 331430-38-7 REGISTRY
ED Entered STN: 16 Apr 2001
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-(hexyloxy)- (9CI) (CA INDEX NAME)
MF C16 H23 N O4
SR Chemical Library
Supplier: AsInEx
LC STN Files: CHEMCATS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L5 ANSWER 4 OF 9 REGISTRY COPYRIGHT 2007 ACS on STN
RN 300589-91-7 REGISTRY
ED Entered STN: 31 Oct 2000
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-(pentyloxy)- (9CI) (CA INDEX NAME)
MF C15 H21 N O4
SR Chemical Library
Supplier: Interbioscreen Ltd.
LC STN Files: CHEMCATS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L5 ANSWER 5 OF 9 REGISTRY COPYRIGHT 2007 ACS on STN
RN 115906-13-3 REGISTRY
ED Entered STN: 20 Aug 1988
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-(1-methylethyl)- (9CI) (CA INDEX NAME)
MF C13 H17 N O3


SR CA
 LC STN Files: BEILSTEIN*, CA, CAPLUS
 (*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 6 OF 9 REGISTRY COPYRIGHT 2007 ACS on STN
 RN 107065-64-5 REGISTRY
 ED Entered STN: 14 Mar 1987
 CN Poly[imino-1,4-phenyleneimino[2-(carboxymethyl)-1-oxo-1,2-ethanediyl]-1,4-phenylene[1-(carboxymethyl)-2-oxo-1,2-ethanediyl]] (9CI) (CA INDEX NAME)
 MF (C20 H18 N2 O6)n
 CI PMS
 PCT Polyamide
 SR CA
 LC STN Files: CA, CAPLUS




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 7 OF 9 REGISTRY COPYRIGHT 2007 ACS on STN
 RN 107040-12-0 REGISTRY
 ED Entered STN: 14 Mar 1987
 CN Poly[imino-1,3-phenyleneimino[2-(carboxymethyl)-1-oxo-1,2-ethanediyl]-1,4-phenylene[1-(carboxymethyl)-2-oxo-1,2-ethanediyl]] (9CI) (CA INDEX NAME)
 MF (C20 H18 N2 O6)n
 CI PMS
 PCT Polyamide
 SR CA
 LC STN Files: CA, CAPLUS




1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 8 OF 9 REGISTRY COPYRIGHT 2007 ACS on STN
RN 107040-11-9 REGISTRY
ED Entered STN: 14 Mar 1987
CN Poly[imino(3,3'-dimethoxy[1,1'-biphenyl]-4,4'-diyl)imino[2-(carboxymethyl)-1-oxo-1,2-ethanediyl]-1,4-phenylene[1-(carboxymethyl)-2-oxo-1,2-ethanediyl]] (9CI). (CA INDEX NAME)
MF (C28 H26 N2 O8)n
CI PMS
PCT Polyamide
SR CA
LC STN Files: CA, CAPLUS



1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 9 OF 9 REGISTRY COPYRIGHT 2007 ACS on STN
RN 107039-94-1 REGISTRY
ED Entered STN: 14 Mar 1987
CN Poly[imino(3,3'-dimethoxy[1,1'-biphenyl]-4,4'-diyl)imino[2-(carboxymethyl)-1-oxo-1,2-ethanediyl]-1,3-phenylene[1-(carboxymethyl)-2-oxo-1,2-ethanediyl]] (9CI). (CA INDEX NAME)
MF (C28 H26 N2 O8)n
CI PMS
PCT Polyamide
SR CA
LC STN Files: CA, CAPLUS



1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> d his

(FILE 'HOME' ENTERED AT 11:55:46 ON 06 SEP 2007)

FILE 'REGISTRY' ENTERED AT 11:56:07 ON 06 SEP 2007

L1 STRUCTURE UPLOADED
L2 0 S L1
L3 19 S L1 SSS FULL
E L3 1-19 RN

FILE 'HCAPLUS' ENTERED AT 11:58:43 ON 06 SEP 2007

L4 11 S L3

FILE 'STNGUIDE' ENTERED AT 11:59:09 ON 06 SEP 2007

FILE 'STNGUIDE' ENTERED AT 12:14:21 ON 06 SEP 2007

FILE 'REGISTRY' ENTERED AT 12:19:26 ON 06 SEP 2007

L5 9 S 865233-31-4/RN OR 372082-15-0/RN OR 331430-38-7/RN OR 300589
L6 10 S 107039-93-0/RN OR 107039-92-9/RN OR 101730-69-2/RN OR 91

=> d l6 1-10 ide

L6 ANSWER 1 OF 10 REGISTRY COPYRIGHT 2007 ACS on STN

RN 107039-93-0 REGISTRY

ED Entered STN: 14 Mar 1987

CN Poly[imino-1,4-phenyleneimino[2-(carboxymethyl)-1-oxo-1,2-ethanediyl]-1,3-phenylene[1-(carboxymethyl)-2-oxo-1,2-ethanediyl]] (9CI) (CA INDEX NAME)


MF (C20 H18 N2 O6)n

CI PMS

PCT Polyamide


SR CA

LC STN Files: CA, CAPLUS




1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 2 OF 10 REGISTRY COPYRIGHT 2007 ACS on STN
RN 107039-92-9 REGISTRY
ED Entered STN: 14 Mar 1987
CN Poly[imino-1,3-phenyleneimino[2-(carboxymethyl)-1-oxo-1,2-ethanediyl]-1,3-phenylene[1-(carboxymethyl)-2-oxo-1,2-ethanediyl]] (9CI) (CA INDEX NAME)
MF (C20 H18 N2 O6)n
CI PMS
PCT Polyamide
SR CA
LC STN Files: CA, CAPLUS



1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 3 OF 10 REGISTRY COPYRIGHT 2007 ACS on STN
RN 101730-69-2 REGISTRY
ED Entered STN: 26 Apr 1986
CN Succinamic acid, 3,3-bis(p-methoxyphenyl)- (6CI) (CA INDEX NAME)
MF C18 H19 N O5
SR CAOLD
LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS
(*File contains numerically searchable property data)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

L6 ANSWER 4 OF 10 REGISTRY COPYRIGHT 2007 ACS on STN
RN 91642-28-3 REGISTRY
ED Entered STN: 16 Nov 1984
CN Succinamic acid, 3-(p-methoxyphenyl)-3-methyl- (6CI, 7CI) (CA INDEX NAME)
MF C12 H15 N O4
LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS


(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)
2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)


L6 ANSWER 5 OF 10 REGISTRY COPYRIGHT 2007 ACS on STN
RN 72058-22-1 REGISTRY
ED Entered STN: 16 Nov 1984
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-(1-methylethoxy)- (9CI)
(CA INDEX NAME)
MF C13 H17 N O4
LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L6 ANSWER 6 OF 10 REGISTRY COPYRIGHT 2007 ACS on STN
RN 38499-27-3 REGISTRY
ED Entered STN: 16 Nov 1984
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-propoxy- (9CI) (CA INDEX NAME)
MF C13 H17 N O4
LC STN Files: BEILSTEIN*, CA, CAPLUS
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L6 ANSWER 7 OF 10 REGISTRY COPYRIGHT 2007 ACS on STN
RN 38499-26-2 REGISTRY
ED Entered STN: 16 Nov 1984
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-ethoxy- (9CI) (CA INDEX NAME)
MF C12 H15 N O4
LC STN Files: BEILSTEIN*, CA, CAPLUS
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L6 ANSWER 8 OF 10 REGISTRY COPYRIGHT 2007 ACS on STN
RN 38499-25-1 REGISTRY
ED Entered STN: 16 Nov 1984
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-methoxy- (9CI) (CA INDEX NAME)
MF C11 H13 N O4
LC STN Files: BEILSTEIN*, CA, CAPLUS, CHEMCATS
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L6 ANSWER 9 OF 10 REGISTRY COPYRIGHT 2007 ACS on STN
RN 36943-46-1 REGISTRY
ED Entered STN: 16 Nov 1984
CN Benzenepropanoic acid, β -(aminocarbonyl)- α -oxo-2-(phenylthio)-
(9CI) (CA INDEX NAME)
OTHER NAMES:
CN Carbamoyl(o-phenylthiophenyl)pyruvic acid
MF C16 H13 N O4 S
LC STN Files: BEILSTEIN*, CA, CAPLUS, IFICDB, IFIPAT, IFIUDB, USPATOLD
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 10 OF 10 REGISTRY COPYRIGHT 2007 ACS on STN
RN 32857-82-2 REGISTRY
ED Entered STN: 16 Nov 1984
CN Malonic acid, (p-butoxy- α -carbamoylbenzyl)- (8CI) (CA INDEX NAME)
MF C15 H19 N O6
LC STN Files: BEILSTEIN*, CA, CAPLUS
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> d his

(FILE 'HOME' ENTERED AT 11:55:46 ON 06 SEP 2007)

FILE 'REGISTRY' ENTERED AT 11:56:07 ON 06 SEP 2007

L1 STRUCTURE UPLOADED
L2 0 S L1
L3 19 S L1 SSS FULL
E L3 1-19 RN

FILE 'HCAPLUS' ENTERED AT 11:58:43 ON 06 SEP 2007

L4 11 S L3

FILE 'STNGUIDE' ENTERED AT 11:59:09 ON 06 SEP 2007

FILE 'STNGUIDE' ENTERED AT 12:14:21 ON 06 SEP 2007

FILE 'REGISTRY' ENTERED AT 12:19:26 ON 06 SEP 2007

L5 9 S 865233-31-4/RN OR 372082-15-0/RN OR 331430-38-7/RN OR 300589
L6 10 S 107039-93-0/RN OR 107039-92-9/RN OR 101730-69-2/RN OR 91

=> fil hcaplus

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
38.85	289.45

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-8.58

CA SUBSCRIBER PRICE

FILE 'HCAPLUS' ENTERED AT 12:22:05 ON 06 SEP 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching

databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 6 Sep 2007 VOL 147 ISS 11
FILE LAST UPDATED: 5 Sep 2007 (20070905/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 15
L7

3 L5

=> s 16
L8

9 L6

=> d 17 1-3 ibib abs

L7 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:1026833 HCAPLUS

DOCUMENT NUMBER: 143:326090

TITLE: Preparation of arylmethoxyphenyl-alkylcarboxylic acids and related derivatives for use in treating metabolic disorders

INVENTOR(S): Akerman, Michelle; Houze, Jonathan; Lin, Daniel C. H.; Liu, Jiwen; Luo, Jian; Medina, Julio C.; Qiu, Wei; Reagan, Jeffrey D.; Sharma, Rajiv; Shuttleworth, Stephen J.; Sun, Ying; Zhang, Jian; Zhu, Liusheng

PATENT ASSIGNEE(S): Amgen Inc., USA; et al.

SOURCE: PCT Int. Appl., 163 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005086661	A2	20050922	WO 2005-US5815	20050224
WO 2005086661	A3	20060504		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2005220728	A2	20050922	AU 2005-220728	20050224
AU 2005220728	A1	20050922		
CA 2558585	A1	20050922	CA 2005-2558585	20050224
EP 1737809	A2	20070103	EP 2005-723623	20050224
R:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, BA,			

10/569812 MMP - UPDATED SEARCH REG NUMBERS

HR, LV, MK, YU				
CN 1946666	A	20070411	CN 2005-80012709	20050224
BR 2005008098	A	20070717	BR 2005-8098	20050224
US 2006004012	A1	20060105	US 2005-67377	20050225
MX 2006PA09793	A	20061030	MX 2006-PA9793	20060828
US 2007142384	A1	20070621	US 2006-591214	20060828
IN 2006DN05525	A	20070817	IN 2006-DN5525	20060922
NO 2006004362	A	20061122	NO 2006-4362	20060926
PRIORITY APPLN. INFO.:			US 2004-548741P	P 20040227
			US 2004-601579P	P 20040812
			WO 2005-US5815	W 20050224

OTHER SOURCE(S): MARPAT 143:326090
GI



AB Title compds. Q-L1-P-L2-M-X-L3-A [Q = H, (hetero)aryl, alkyl, etc.; L1 = bond, alkylene, heteroalkylene, O, etc.; P = (hetero)aromatic, cycloalkylene, etc.; L2 = bond, alkylene, heteroalkylene, etc.; M = (hetero)aromatic, cycloalkylene, arylalkylene, etc.; X = divalent alkyl, (un)substituted-N; O, SOO-2; L3 = bond, alkylene, heteroalkylene, etc.; A = COOH, tetrazolyl, SO3H, PO3H2, etc.; I] are prepared. For instance, (S)-3-[4-((4'-trifluoromethyl-1,1'-biphenyl-3-yl)methoxy)phenyl]hexan-4-ynoic acid (II) is prepared in 5 steps from (S)-3-(4-hydroxyphenyl)hexan-4-ynoic acid Me ester (preparation given), 4-(trifluoromethyl)phenylboronic acid and 3-bromobenzoic acid. II has an EC50 < 0.1 μM for human G protein-coupled receptor GPR40. I are useful for the treatment of type II diabetes.

L7 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1988:486102 HCAPLUS

DOCUMENT NUMBER: 109:86102

TITLE: Succinimide derivatives: chemical structure-anticonvulsant activity relation

AUTHOR(S): Avetisyan, S. A.; Nesunts, N. S.; Buyukyan, N. S.; Mndzhoyan, O. L.; Dzaghatspanyan, I. A.; Nazaryan, I. M.; Akopyan, N. E.

CORPORATE SOURCE: Inst. Tonkoi Org. Khim. im. Mndzhoyana, Yerevan, USSR
SOURCE: Khimiko-Farmatsevticheskii Zhurnal (1988), 22(4), 433-8


CODEN: KHFZAN; ISSN: 0023-1134

DOCUMENT TYPE: Journal

LANGUAGE: Russian

OTHER SOURCE(S): CASREACT 109:86102

GI



AB Succinimides (I, R = 4-isopropylphenyl, or 4-cyclopropylphenyl) were prepared by the conversion of the corresponding benzyl chlorides to aldehydes, Knoevenagel reaction with di-Et malonate, HCN addition to the resulting ylidene malonates, hydrolysis, amidation-hydrolysis and cyclization. Treatment of I (R = 4-isopropoxyphenyl) with N₂H₄ gave N,N'-bis(p-isopropoxyphenylsuccinimide) (II, R = p-isopropoxyphenyl, n = 0). Similarly, other II (R = p-isopropoxyphenyl and n = 1-10) were prepared. Of all the compds. studied, I (R = 4-isopropylphenyl, or 4-cyclopropylphenyl) and II (R = 4-isopropoxyphenyl and n = 0, 1, 2, 3, or 4) were completely devoid of the ability to prevent nicotinic hyperkinesia and arecoline tremors, as shown in mice. However, I and pufamide showed anticonvulsant activity in relation to corazole and elec. shock. Antagonism to corazole was observed in 50% of the animals at 68 and 90 mg/kg for I (R = 4-isopropylphenyl and 4-cyclopropylphenyl), resp., and to elec. shock at doses 92 and 94 mg/kg. Structure-activity relations are discussed.

L7 ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1987:102756 HCAPLUS

DOCUMENT NUMBER: 106:102756

TITLE: Aliphatic polyimides from phenylene bis(succinic anhydride) and bis(glutaric anhydride)

AUTHOR(S): Teshirogi, Takuma

CORPORATE SOURCE: Macromol. Res. Lab., Yamagata Univ., Yonezawa, 992, Japan

SOURCE: Journal of Polymer Science, Part A: Polymer Chemistry (1987), 25(1), 31-6
CODEN: JPACEC; ISSN: 0887-624X

DOCUMENT TYPE: Journal

LANGUAGE: English

AB m- And p-derivs. of phenylene bis(succinic anhydride) and bis(glutaric anhydride) were obtained from 1,3- [77104-43-9] and 1,4-bis(β-cyano-β-carbethoxyvinyl)benzene [47375-13-3] with KCN or Meldrum's acid followed by hydrolysis with concentrated HCl and dehydration with Ac₂O.

Aliphatic

polyimides were prepared from these anhydrides with 6 aromatic diamines through thermal ring closure of polyamic acids obtained by solution polymerization in AcNMe₂, and thermal stability of these polyimides was examined by thermogravimetric anal.

=> d his

(FILE 'HOME' ENTERED AT 11:55:46 ON 06 SEP 2007)

FILE 'REGISTRY' ENTERED AT 11:56:07 ON 06 SEP 2007

L1 STRUCTURE UPLOADED

L2 0 S L1

10/569812 MMP - UPDATED SEARCH REG NUMBERS

L3 19 S L1 SSS FULL
E L3 1-19 RN

FILE 'HCAPLUS' ENTERED AT 11:58:43 ON 06 SEP 2007

L4 11 S L3

FILE 'STNGUIDE' ENTERED AT 11:59:09 ON 06 SEP 2007

FILE 'STNGUIDE' ENTERED AT 12:14:21 ON 06 SEP 2007

FILE 'REGISTRY' ENTERED AT 12:19:26 ON 06 SEP 2007

L5 9 S 865233-31-4/RN OR 372082-15-0/RN OR 331430-38-7/RN OR 300589

L6 10 S 107039-93-0/RN OR 107039-92-9/RN OR 101730-69-2/RN OR 91

FILE 'HCAPLUS' ENTERED AT 12:22:05 ON 06 SEP 2007

L7 3 S L5

L8 9 S L6

=> d 18 1-9 ibib abs

L8 ANSWER 1 OF 9 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1987:102756 HCAPLUS

DOCUMENT NUMBER: 106:102756

TITLE: Aliphatic polyimides from phenylene bis(succinic anhydride) and bis(glutaric anhydride)

AUTHOR(S): Teshirogi, Takuma

CORPORATE SOURCE: Macromol. Res. Lab., Yamagata Univ., Yonezawa, 992, Japan

SOURCE: Journal of Polymer Science, Part A: Polymer Chemistry (1987), 25(1), 31-6

CODEN: JPACEC; ISSN: 0887-624X

DOCUMENT TYPE: Journal

LANGUAGE: English

AB m- And p-derivs. of phenylene bis(succinic anhydride) and bis(glutaric anhydride) were obtained from 1,3- [77104-43-9] and 1,4-bis(β-cyano-β-carbethoxyvinyl)benzene [47375-13-3] with KCN or Meldrum's acid followed by hydrolysis with concentrated HCl and dehydration with Ac2O.

Aliphatic polyimides were prepared from these anhydrides with 6 aromatic diamines through thermal ring closure of polyamic acids obtained by solution polymerization in AcNMe2, and thermal stability of these polyimides was examined by thermogravimetric anal.

L8 ANSWER 2 OF 9 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1979:611103 HCAPLUS

DOCUMENT NUMBER: 91:211103

TITLE: Antispasmodic

INVENTOR(S): Mndzhoyan, O. L.; Avetisyan, S. A.; Akopyan, N. E.; Gerasimyan, D. A.

PATENT ASSIGNEE(S): Institute of Fine Organic Chemistry, Academy of Sciences, Armenian S.S.R., USSR

SOURCE: Ger. Offen., 26 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent


LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------

DE 2759051	A1	19790712	DE 1977-2759051	19771230
PRIORITY APPLN. INFO.: GI			DE 1977-2759051	A 19771230



AB The phenylsuccinimide I, useful as a muscle relaxant in treating epilepsy with mild seizures, was prepared Thus, 4-Me2CHOC6H4CH(CO2H)CH2CO2H was warmed 2-3 h with Ac2O to give the corresponding succinic anhydride, which, in EtOAc, was treated with NH3-Et2O to give the 2 isomeric α -(4-isopropoxyphenyl)succinamidic acids. These were cyclized by heating to 200-20° with H2O removal to give 68-70% I. Tests of I with mice and rats gave ED50 86, 110, 77, and 90 mg/kg as a muscle relaxant in the korasol, strychnine, electroshock, and camphor tests, resp.

L8 ANSWER 3 OF 9 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1977:439351 HCAPLUS
 DOCUMENT NUMBER: 87:39351
 TITLE: Studies of semisynthetic penicillins. XI. The 6-aminopenicillane derivatives of p-alkoxyphenyl- and p-alkoxybenzylsuccinic acids. Ester penicillins
 AUTHOR(S): Mndzhoyan, Sh. L.; Manucharyan, I. Z.; Bil'bulyan, S. Z.; Ter-Zakharyan, Yu. Z.; Paronikyan, R. V.; Kazaryan, E. V.; Mndzhoyan, A. L.
 CORPORATE SOURCE: Inst. Tonkoi Org. Khim. im. Mndzhoyana, Yerevan, USSR
 SOURCE: Khimiko-Farmatsevticheskii Zhurnal (1977), 11(3), 49-53
 CODEN: KHFZAN; ISSN: 0023-1134
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian
 GI



AB Penicillanic acid derivs. I and II [R¹ = p-(C1-4 alkoxy)phenyl, p-(C1-4 alkoxy)benzyl] were obtained in 40-64% yields by treating 6-aminopenicillanic acid with the corresponding Me esters of succinic acid. I and II are effective bactericides.

L8 ANSWER 4 OF 9 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1972:539560 HCAPLUS

DOCUMENT NUMBER: 77:139560
TITLE: Ammonolysis of p-alkoxyphenylsuccinic acid anhydrides
AUTHOR(S): Avetisyan, S. A.; Midzhoyan, O. L.
CORPORATE SOURCE: Inst. Tonkoi Org. Khim: im. Mndzhoyana, Erevan, USSR
SOURCE: Armyanskii Khimicheskii Zhurnal (1972), 25(6), 512-17
CODEN: AYKZAN; ISSN: 0515-9628

DOCUMENT TYPE: Journal
LANGUAGE: Russian

AB Ammonolysis of p-alkoxy-phenylsuccinic acid anhydrides gave an α -isomer, p-ROC₆H₄CH-(CONH₂)CH₂CO₂H (R = Me, Et, Br), and larger amts. of a β -isomer, p-ROC₆H₄CH(CO₂H)CH₂CONH₂, compared with the unsubstituted phenyl analogs which gave the opposite ratio of α - and β -isomers. The increase in the β -isomer with alkoxy substitution was explained by its resonance effect.

L8 ANSWER 5 OF 9 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1972:514271 HCAPLUS
DOCUMENT NUMBER: 77:114271
TITLE: N-Substituted debenzo[b,f]thiepin-10-ylmethyamines and related intermediates
INVENTOR(S): Gosteli, Jacques
PATENT ASSIGNEE(S): Ciba-Geigy A.-G.
SOURCE: Ger. Offen., 85 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2165260	A	19720727	DE 1971-2165260	19711229
CH 550189	A	19740614	CH 1971-243	19710108
DD 95395	A5	19730212	DD 1971-159981	19711229
ZA 7108705	A	19720927	ZA 1971-8705	19711230
US 3787444	A	19740122	US 1971-214475	19711230
NL 7118218	A	19720711	NL 1971-18218	19711231
AT 313904	B	19740311	AT 1972-85	19720105
BE 777752	A1	19720706	BE 1972-112594	19720106
FR 2121665	A5	19720825	FR 1972-460	19720107
HU 163513	B	19730927	HU 1972-CI1199	19720107
			CH 1971-243	A 19710108

PRIORITY APPLN. INFO.:

GI For diagram(s), see printed CA Issue.

AB Antiinflammatory dibenzothiepinylmethyamines (I, R = CH₂NH₂, CH₂NHMe, CH₂NMe₂, CH₂NEt₂, pyrrolidinomethyl, piperidinomethyl, piperazinomethyl; R₁ and R₂ = H, Cl, OMe) were prepared from I (R = CO₂H) via the chloride and carboxamide, which was reduced with LiAlH₄. I (R = CO₂H) were also prepared, e.g. by condensing PhSH with o-ClC₆H₄CHO, followed by hippuric acid to give 2-phenyl-4-(o-phenylthiobenzylidene)-2-oxazolin-5-one, which was hydrolyzed to o-PhSC₆H₄CH₂CO-CO₂H, and subjected to acid cyclization to give I (R = CO₂H, R₁ = R₂ = H).

L8 ANSWER 6 OF 9 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1971:448636 HCAPLUS
DOCUMENT NUMBER: 75:48636
TITLE: Derivatives of dibasic carboxylic acids. XXXIV.
N-Methyl- α -(p-alkoxyphenyl)succinimides
AUTHOR(S): Avetisyan, S. A.; Mndzhoyan, O. L.
CORPORATE SOURCE: Inst. Tonkoi Org. Khim., Erevan, USSR

SOURCE: Armyanskii Khimicheskii Zhurnal (1971), 24(2), 137-45
CODEN: AYKZAN; ISSN: 0515-9628

DOCUMENT TYPE: Journal

LANGUAGE: Russian

AB Di-Et malonate was condensed with p-ROC6H4CHO in the presence of piperidine and AcOH to give 54-87% p-ROC6H4CH:C(CO2Et)2 (I, R = Me, Et, Pr, iso-Pr, Bu, iso-Bu, amyl, isoamyl). Addition of HCN from aqueous-alc.

NaCN

to I gave a mixture of β -(p-alkoxyphenyl)- β -cyanopropionic (II), (p-alkoxyphenyl)succinamic (III), and (p-alkoxyphenyl)succinic acids. II are formed predominantly from I (R = Me, Et, Pr). I (R = Bu) yielded a mixture which gave (p-butoxyphenyl)succinimide and (p-butoxyphenyl)- β -acrylic acid on heating. Anhydrides of substituted succinic acids were obtained by treating the acids with Ac2O. The N-Me derivs. of III were obtained from the anhydrides and MeNH2 at room temperature. N-Methyl(p-alkoxyphenyl)succinimides were obtained by heating III. The spasmolytic activities of III are lower than those of N-substituted (p-alkoxyphenyl)succinimides. Thus, N-methylation increases the spasmolytic activity of phenyl succinimides but reduces it in their p-alkoxy derivs.

I.8 ANSWER 7 OF 9 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1963:39491 HCAPLUS

DOCUMENT NUMBER: 58:39491

ORIGINAL REFERENCE NO.: 58:6665e-h, 6666a-c

TITLE: Syntheses and physical chemical studies of substituted ethyl 2-cyano-2-propenoates and their derivatives. II. Preparation of substituted ethyl 2,3-dicyanopropanoates and the study of the mechanism of their hydrolysis. The corresponding succinic acids and some of their nitrogen derivatives

AUTHOR(S): Carrie, Robert

CORPORATE SOURCE: Univ. Rennes, Fr.

SOURCE: Bulletin de la Societe Scientifique de Bretagne (1962), 37, 29-58

CODEN: BSSBAS; ISSN: 0037-9581

DOCUMENT TYPE: Journal

LANGUAGE: Unavailable

AB RR'C:C(CN)CO2Et (10 g.) and 30 mL. EtOH were mixed at 95°, the solution boiled and 5 g. KCN in 15 mL. H2O added, the mixture refluxed and cooled, made acid with HCl, and diluted with 180 mL. H2O; an oil separated and was extracted with Et2O, dried, and NCCRR'CH(CN)CO2Et (II) obtained by distillation

in vacuo. The following II were prepared (R, R', % yield, and m.p. or b.p. given): Ph, H, 90, m. (65°; Ph, Me, --, m. 77-8°; 4-O2NC6H4, Me, --, m. 76°; 4-Cl-C6H4, Me, --, b1 170°; 4-MeC6H4, Me, --, b1 171-3°; 4-MeOC6H4, Me, --, b3 198-200°. Other II prepared were: Ph, Ph; Ph, PhCH2; PhCH2, PhCH2. A dicyanopropanoate ester (5 g.) was dissolved in 70 g. 93% H2SO4, and the solution kept 6 h. at room temperature and poured onto crushed ice to give H2NOCCRR'CH(CONH2)CO2Et (III). III prepared in this manner were (R, R', and m.p. given): Ph, H, 252-4°; Ph, Me, 186-7°; 4-O2NC6H4, Me, 193-4°; 4-ClC6H4, Me, 207-8°; 4-MeC6H4, Me, 174°; 4-MeOC6H4, Me, 204°; Ph, Ph, 154°. Diamide ester (2 g.) was dissolved in a solution of 1 g. NaOH in 20 mL. 50% alc., the resulting solution diluted with

50

mL. H2O, and acidified with HCl to precipitate IV. IV prepared by this method

were

(R, R', and m.p. given): Ph, H, 218°; Ph, Me, 201-2°;

4-O₂NC₆H₄, Me, 235-6°; 4-ClC₆H₄, Me, 213°; 4-MeC₆H₄, Me, 186°; 4-MeOC₆H₄, Me, 180-2°. This treatment of III (R = R' = Ph) gave the Na salt of the diamide acid, m. 247-50°, and acidification of the salt with HCl gave the diamide acid, m. 135-40°. NCCRR'CH₂CN (V, R = Ph, R' = H) was prepared by treating I (R = Ph, R' = H) with KCN in alc. at boiling, yield 55-60%, m. 65°. II (R = 4-XC₆H₄, R' = Me) (10 g.) was saponified with N Na₂CO₃ in 200 mL. 50% H₂O-alc. containing 5 g. KCN by refluxing 2-3 h. and the mixture was poured

into

500-600 mL. H₂O to give 4-XC₆H₄CMe-(CN)CH₂CN (VI) (X, % yield, and m.p. given): NO₂, 52-6, 139°; Cl, 75-80, 49°; H, 76-80, 29°; Me, 82-5, 49-50°; MeO, 81-4, 51-2°; OH, 78-81, 110-20°; NH₂, 75-8, 69°. Similarly prepared was 2,2-diphenylsuccinonitrile, 85-90% yield, m. 112°. Various 2-methyl-2-arylsuccinamides were prepared by treatment of the succinonitriles with cold concentrated H₂SO₄ (aryl, % yield, and m.p. given): 4-O₂NC₆H₄, 75, 184°; 4-ClC₆H₄, 40, 195°; Ph, 30, 145°; 4-MeC₆H₄, 40, 196°. Some of these succinonitriles were converted to the corresponding cyano amides when heated with 0.25N NaOH (50% H₂O-alc.). Compds. prepared, where R = 4-XC₆H₄ and R' = Me, were (X and m.p. given): NO₂, 296-8°; Cl, 247-8°; H, 258-60°; 255-6°; MeO, 249-50°; NH₂, 260°. The reaction mixture, after separation of amide nitrile, was acidified to give IV

(R

= p-XC₆H₄, R' = Me) (X and m.p. given): NO₂, 159°; Cl, 152°; H, 81°; Me, 102°; MeO, 108°; NH₂, 154°. Some amide acids, RR'C(CONH₂)CH₂CO₂H, were isolated: X (as above) = NO₂, Cl, and MeO, in yields of 6-7, 7-8, and 11-12%, resp. Alkaline hydrolysis of some succinonitriles gave the corresponding succinic acids, HO₂CCRR'CH₂CO₂H (VII) (R, R', % yield, and m.p. given): Ph, H, 78-88, 167°; Ph, Ph, 88-9, 107-9°; VII (R' = Me, R = 4-XC₆H₄) (X given): 85, --; Cl, 93, 185°; Me, 85, 187-8°; MeO, 95, 185°; OH, 90, 196-7°; NO₂, 55, 142°; NH₂, 80, decomposed 216-18°. VII were treated with MeOH and concentrated H₂SO₄ to form the mono- and di-Me esters (R' = Me, R = 4-XC₆H₄) (X, yield, and m.p. of half ester, yield of diester given): Cl, 66, 90-1°, 24; Me, 60, 82-3°, 22; Me, 68, 91-2°, 27. The acid group of the monoester was on the substituted C. The half ester of α-methyl-α-(4-methylphenyl)succinic acid gave the di-Me ester after treatment with Me₂SO₄, m. 38°. Half esters where the acid group was on the unsubstituted C were prepared by treatment of the diester with NaOH in alc. Compds. prepared were (X as above, % yield, and m.p. given): Cl, 52, 80°; MeO, 58, 105°; Me, 46, 105°.

L8 ANSWER 8 OF 9 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1961:59332 HCAPLUS

DOCUMENT NUMBER: 55:59332

ORIGINAL REFERENCE NO.: 55:11353e-h

TITLE: Careful hydrolysis of some substituted 2-phenyl-2-methyl-3-carbethoxysuccinonitriles

AUTHOR(S): Carrie, Robert

CORPORATE SOURCE: Fac. sci. Rennes, Fr.

SOURCE: Compt. rend. (1960), 251, 2981-3

DOCUMENT TYPE: Journal

LANGUAGE: Unavailable

AB When X-substituted derivs. of title compound, generally 2-methyl-2-[4-(X-substituted)-phenyl]-3-carbethoxysuccinonitrile (I), were hydrolyzed with hot N Na₂CO₃ in H₂O-EtOH, 1st the carbethoxy group was hydrolyzed, then the unstable carboxy group eliminated to give 2-methyl-2-[4-(X-

substituted)phenyl]succinonitrile (II). From I the following II were obtained (X, m.p., % yield, and reaction time in hrs. given): NO₂, 139°, 52-6, 2.5; Cl, 49°, 75-80, 3; H, 29°, 76-80, 3; Me, 49-50°, 83-5, 3; OMe, 51-2°, 81-4, 2.5; OH, 119-120°, 78-81, 3; NH₂, 69°, 75-81, 2. I hydrolyzed with N/2 NaOH by boiling 0.5 hr. in H₂O-EtOH gave 25% 2-methyl-2-[4-(X-substituted)-phenyl]succino-1-nitrile-4-amide (III) or 2-methyl-2-[4-(X-substituted)-phenyl] succino-4-nitrile-1-amide (IV) and 45% 2-methyl-2-[4-(X-substituted)-phenyl]-succinimide (V). III or IV prepared were (X and m.p. given): NO₂, 296-8°; Cl, 247-8°; H, 258-60°; Me, 255-6°; OMe, 249-50° (with 0.5H₂O); NH₂, 260° (with 0.5H₂O). V prepared were: NO₂, 159°; Cl, 152°; H, 81°; Me, 102°; OMe, 108°; NH₂, 154°. II hydrolyzed with N NaOH in H₂O-EtOH by boiling 1 hr. gave 26-30% V, but also 2-methyl-2-[4-(X-substituted)-phenyl] succinic 4-acid-1-amide (VI) and 2-methyl-2-[4-(X-substituted)-phenyl]succinic acid (VII). II gave the following V (X, % yield, and m.p. given): NO₂, 29, 180°; Cl, 16, 197-8°; OMe, 33, 189°. I treated with cold 93% H₂SO₄ 6 hrs. gave 2-methyl-2-[4-(X-substituted)-phenyl]-3-carbethoxysuccindiamide (VIII) and 2-methyl-2-[4-(X-substituted)-phenyl]-3-carbamoylsuccinimide (IX). I gave the following VIII: NO₂, 193-4°; Cl, 207-8°; Me, 174°; OMe, 204°. The following IX: NO₂, 235-6°; Cl, 213°; Me, 186°; OMe, 180-2°. It was found that the electronic influence of X-substitution on the reactivity of I or II was weak.

L8 ANSWER 9 OF 9 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1958:50475 HCAPLUS

DOCUMENT NUMBER: 52:50475

ORIGINAL REFERENCE NO.: 52:9044c-f

TITLE: α,α -Bis(p-methoxyphenyl)succinic acid

AUTHOR(S): Salmon-Legagneur, Francois; Bobin, Claude

SOURCE: Compt. rend. (1957), 245, 1810-13

DOCUMENT TYPE: Journal

LANGUAGE: Unavailable

OTHER SOURCE(S): CASREACT 52:50475

AB cf. C.A. 33, 62854. [Y throughout this abstract = p-MeOC₆H₄.] The procedure previously used for the preparation of HO₂CCPh₂CH₂CO₂H has made possible the preparation of a series of α,α -di-Ph acids of the type HO₂CCPh₂(CH₂)_nCO₂H, where n = 1 to 11. Y₂CHCN (I), m. 154°, was prepared by reaction of YCHO with HCN and condensation of the YCH(OH)CN with PhOMe. I, in C₆H₆, with NaNH₂ and BrCH₂CO₂Et gave NCCY₂CH₂CO₂Et, m. 78°; Me ester analog, m. 67-8°. With KOH was obtained the free acid, m. 185°, which, with 2:1 HCl and HOAc gave HO₂CCY₂CH₂CO₂H, m. 212-13°, forming the anhydride, m. 86-7°, with Ac₂O. RO₂CCY₂CH₂CO₂R' (R, R', and m.p. given) were similarly prepared: H, Me, 128-30°; H, Et, 129°; Me, H, 122°; Et, H, 104°; Me, Me, 81°; Et, Et, 101°; Me, Et, 78°; Et, Me, 86-7°. Amido derivs. of the type H₂NOCCPh₂CH₂CO₂R were obtained by hydration in the cold with 85% H₂SO₄ of NCCPh₂CH₂CO₂R (R and m.p. given): H, 156°; Me, 130-1°; Et, 115°. α,α -Bis-p-methoxyphenylsuccinimide, m. 198°, was obtained from one of the ester amides with dilute NaOH. This reaction shows that the two carboxyls must be very close, since cyclization is accomplished under conditions usually employed for the hydrolysis of cyclic imides.

=> fil stng

10/569812 MMP - UPDATED SEARCH REG NUMBERS

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	39.16	328.61
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-9.36	-17.94

FILE 'STNGUIDE' ENTERED AT 12:22:59 ON 06 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Aug 31, 2007 (20070831/UP).

=> fil hcaplu

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.36	328.97
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-17.94

FILE 'HCAPLUS' ENTERED AT 12:26:31 ON 06 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 6 Sep 2007 VOL 147 ISS 11
FILE LAST UPDATED: 5 Sep 2007 (20070905/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s US20060-235074/pn
L9 0 US20060-235074/PN
(US20060235074/PN)

=> s US200600235074/pn
L10 1 US200600235074/PN
(US2006235074/PN)

=> d l10 rn

L10 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2007 ACS on STN

10/569812 MMP - UPDATED SEARCH REG NUMBERS

RN 845786-15-4P
 RN 845786-16-5P
 RN 845786-17-6P
 RN 845786-18-7P
 RN 845786-19-8P
 RN 845786-20-1P
 RN 845786-21-2P
 RN 845786-22-3P
 RN 845786-23-4P
 RN 845786-24-5P
 RN 845786-25-6P
 RN 845786-26-7P
 RN 845786-27-8P
 RN 107-82-4
 RN 156-38-7
 RN 1647-26-3
 RN 1878-68-8
 RN 5292-43-3
 RN 5437-45-6
 RN 14199-15-6
 RN 18162-48-6
 RN 27727-37-3
 RN 98946-18-0
 RN 126747-14-6
 RN 33155-58-7P
 RN 55784-09-3P
 RN 127152-98-1P
 RN 335200-36-7P
 RN 845785-97-9P
 RN 845785-98-0P
 RN 845785-99-1P
 RN 845786-00-7P
 RN 845786-01-8P
 RN 845786-02-9P
 RN 845786-03-0P
 RN 845786-04-1P
 RN 845786-06-3P
 RN 845786-07-4P
 RN 845786-08-5P
 RN 845786-09-6P
 RN 845786-10-9P
 RN 845786-11-0P
 RN 845786-12-1P
 RN 845786-13-2P
 RN 845786-14-3P

=> file reg

COST IN U.S. DOLLARS

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

CA SUBSCRIBER PRICE

SINCE FILE
ENTRY

5.54

TOTAL
SESSION

334.51

SINCE FILE
ENTRY

0.00

TOTAL
SESSION

-17.94

FILE 'REGISTRY' ENTERED AT 12:27:29 ON 06 SEP 2007
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

10/569812 MMP - UPDATED SEARCH REG NUMBERS

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 5 SEP 2007 HIGHEST RN 946114-43-8
DICTIONARY FILE UPDATES: 5 SEP 2007 HIGHEST RN 946114-43-8

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> s 845786-08-5/RN or 845786-09-6/RN or 845786-10-9/RN or 845786-11-0/RN or 845786-12-1/RN or 845786-13-2/RN or 845786-14-3/rn

1 845786-08-5/RN
1 845786-09-6/RN
1 845786-10-9/RN
1 845786-11-0/RN
1 845786-12-1/RN
1 845786-13-2/RN
1 845786-14-3/RN

L11 7 845786-08-5/RN OR 845786-09-6/RN OR 845786-10-9/RN OR 845786-11-0/RN OR 845786-12-1/RN OR 845786-13-2/RN OR 845786-14-3/RN

=> d l11 1-7 ide

L11 ANSWER 1 OF 7 REGISTRY COPYRIGHT 2007 ACS on STN

RN 845786-14-3 REGISTRY


ED Entered STN: 17 Mar 2005

CN Benzeneacetic acid, α -(2-amino-2-oxoethyl)-4-hydroxy- (9CI) (CA INDEX NAME)

MF C10 H11 N O4

SR CA

LC STN Files: CA, CAPLUS, CASREACT, USPATFULL




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


```
L11 ANSWER 2 OF 7  REGISTRY  COPYRIGHT 2007 ACS on STN
RN 845786-13-2  REGISTRY
ED Entered STN: 17 Mar 2005
CN Benzeneacetic acid,  $\alpha$ -(2-amino-2-oxoethyl)-4-hydroxy-, phenylmethyl
  ester (9CI) (CA INDEX NAME)
MF C17 H17 N O4
SR CA
LC STN Files:  CA, CAPLUS, CASREACT, USPATFULL
```



****PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT****

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

```
L11 ANSWER 3 OF 7  REGISTRY  COPYRIGHT 2007 ACS on STN
RN 845786-12-1  REGISTRY
ED Entered STN: 17 Mar 2005
CN Butanedioic acid, [4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]phenyl]-,
1-(phenylmethyl) ester (9CI) (CA INDEX NAME)
MF C23 H30 O5 Si
SR CA
LC STN Files:  CA, CAPLUS, CASREACT, USPATFULL
```




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L11 ANSWER 4 OF 7 REGISTRY COPYRIGHT 2007 ACS on STN
RN 845786-11-0 REGISTRY
ED Entered STN: 17 Mar 2005
CN Butanedioic acid, [4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]phenyl]-


MF 4-(1,1-dimethylethyl)-1-(phenylmethyl) ester (9CI) (CA INDEX NAME)
 SR C27 H38 O5 Si
 LC CA
 STN Files: CA, CAPLUS, CASREACT, USPATFULL



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L11 ANSWER 5 OF 7 REGISTRY COPYRIGHT 2007 ACS on STN
 RN 845786-10-9 REGISTRY
 ED Entered STN: 17 Mar 2005
 CN Butanedioic acid, [4-(3-methylbutoxy)phenyl]-, 4-(1,1-dimethylethyl)
 1-methyl ester (9CI) (CA INDEX NAME)
 MF C20 H30 O5
 SR CA
 LC STN Files: CA, CAPLUS, CASREACT, USPATFULL



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L11 ANSWER 6 OF 7 REGISTRY COPYRIGHT 2007 ACS on STN
 RN 845786-09-6 REGISTRY
 ED Entered STN: 17 Mar 2005
 CN Benzeneacetic acid, 4-(3-methylbutoxy)-, methyl ester (9CI) (CA INDEX
 NAME)
 MF C14 H20 O3
 SR CA
 LC STN Files: CA, CAPLUS, CASREACT, USPATFULL

CH₂ C OMe

Me₂CH CH₂ CH₂

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L11 ANSWER 7 OF 7 REGISTRY COPYRIGHT 2007 ACS on STN
RN 845786-08-5 REGISTRY
ED Entered STN: 17 Mar 2005
CN Butanedioic acid, [4-(3-methylbutoxy)phenyl]-, 4-(phenylmethyl) ester
(9CI) (CA INDEX NAME)
MF C22 H26 O5
SR CA
LC STN Files: CA, CAPLUS, CASREACT, USPATFULL

O₂H

CH CH₂ C O CH₂ Ph

Me₂CH CH₂ CH₂

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> S

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAMLL1621

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 MAY 01 New CAS web site launched
NEWS 3 MAY 08 CA/CAPLUS Indian patent publication number format defined
NEWS 4 MAY 14 RDISCLOSURE on STN Easy enhanced with new search and display fields
NEWS 5 MAY 21 BIOSIS reloaded and enhanced with archival data
NEWS 6 MAY 21 TOXCENTER enhanced with BIOSIS reload
NEWS 7 MAY 21 CA/CAPLUS enhanced with additional kind codes for German patents
NEWS 8 MAY 22 CA/CAPLUS enhanced with IPC reclassification in Japanese patents
NEWS 9 JUN 27 CA/CAPLUS enhanced with pre-1967 CAS Registry Numbers
NEWS 10 JUN 29 STN Viewer now available
NEWS 11 JUN 29 STN Express, Version 8.2, now available
NEWS 12 JUL 02 LEMBASE coverage updated
NEWS 13 JUL 02 LEMBASE coverage updated
NEWS 14 JUL 02 SCISEARCH enhanced with complete author names
NEWS 15 JUL 02 CHEMCATS accession numbers revised
NEWS 16 JUL 02 CA/CAPLUS enhanced with utility model patents from China
NEWS 17 JUL 16 CAPLUS enhanced with French and German abstracts
NEWS 18 JUL 18 CA/CAPLUS patent coverage enhanced
NEWS 19 JUL 26 USPATFULL/USPAT2 enhanced with IPC reclassification
NEWS 20 JUL 30 USGENE now available on STN
NEWS 21 AUG 06 CAS REGISTRY enhanced with new experimental property tags
NEWS 22 AUG 06 BEILSTEIN updated with new compounds
NEWS 23 AUG 06 FSTA enhanced with new thesaurus edition
NEWS 24 AUG 13 CA/CAPLUS enhanced with additional kind codes for granted patents
NEWS 25 AUG 20 CA/CAPLUS enhanced with CAS indexing in pre-1907 records
NEWS 26 AUG 27 Full-text patent databases enhanced with predefined patent family display formats from INPADOCDB
NEWS 27 AUG 27 USPATOLD now available on STN
NEWS 28 AUG 28 CAS REGISTRY enhanced with additional experimental spectral property data

NEWS EXPRESS 05 SEPTEMBER 2007: CURRENT WINDOWS VERSION IS V8.2, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 05 SEPTEMBER 2007.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

10/569812 MMP - UPDATED SEARCH REG NUMBERS

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 13:19:13 ON 06 SEP 2007

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 13:19:44 ON 06 SEP 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 5 SEP 2007 HIGHEST RN 946114-43-8

DICTIONARY FILE UPDATES: 5 SEP 2007 HIGHEST RN 946114-43-8

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> s 91642-28-3/rn or 72058-22-1/rn or 38499-27-3/rn or 38499-26-2/rn or 38499-25-1/rn or 32857-82-2/rn

1 91642-28-3/RN

1 72058-22-1/RN

1 38499-27-3/RN

1 38499-26-2/RN

1 38499-25-1/RN

1 32857-82-2/RN


L1 6 91642-28-3/RN OR 72058-22-1/RN OR 38499-27-3/RN OR 38499-26-2/RN OR 38499-25-1/RN OR 32857-82-2/RN

=> d 11 1-6 ide

L1 ANSWER 1 OF 6 REGISTRY COPYRIGHT 2007 ACS on STN

10/569812 MMP - UPDATED SEARCH REG NUMBERS


RN 91642-28-3 REGISTRY
ED Entered STN: 16 Nov 1984
CN Succinamic acid, 3-(p-methoxyphenyl)-3-methyl- (6CI, 7CI) (CA INDEX NAME)
MF C12 H15 N O4
LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)
2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)


L1 ANSWER 2 OF 6 REGISTRY COPYRIGHT 2007 ACS on STN
RN 72058-22-1 REGISTRY
ED Entered STN: 16 Nov 1984
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-(1-methylethoxy)- (9CI)
(CA INDEX NAME)
MF C13 H17 N O4
LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L1 ANSWER 3 OF 6 REGISTRY COPYRIGHT 2007 ACS on STN
RN 38499-27-3 REGISTRY
ED Entered STN: 16 Nov 1984
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-propoxy- (9CI) (CA INDEX NAME)
MF C13 H17 N O4
LC STN Files: BEILSTEIN*, CA, CAPLUS
(*File contains numerically searchable property data)



****PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT****

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L1 ANSWER 4 OF 6 REGISTRY COPYRIGHT 2007 ACS on STN
RN 38499-26-2 REGISTRY
ED Entered STN: 16 Nov 1984
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-ethoxy- (9CI) (CA INDEX NAME)
MF C12 H15 N O4
LC STN Files: BEILSTEIN*, CA, CAPLUS
(*File contains numerically searchable property data)



****PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT****

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L1 ANSWER 5 OF 6 REGISTRY COPYRIGHT 2007 ACS on STN
RN 38499-25-1 REGISTRY
ED Entered STN: 16 Nov 1984
CN Benzenepropanoic acid, β -(aminocarbonyl)-4-methoxy- (9CI) (CA INDEX NAME)
MF C11 H13 N O4
LC STN Files: BEILSTEIN*, CA, CAPLUS, CHEMCATS
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L1 ANSWER 6 OF 6 REGISTRY COPYRIGHT 2007 ACS on STN
RN 32857-82-2 REGISTRY
ED Entered STN: 16 Nov 1984
CN Malonic acid, (p-butoxy- α -carbamoylbenzyl)- (8CI) (CA INDEX NAME)
MF C15 H19 N O6
LC STN Files: BEILSTEIN*, CA, CAPLUS
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> fil hcaplu
COST IN U.S. DOLLARS
FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
12.60	12.81

FILE 'HCAPLUS' ENTERED AT 13:20:54 ON 06 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the

10/569812 MMP - UPDATED SEARCH REG NUMBERS

the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 6 Sep 2007 VOL 147 ISS 11
FILE LAST UPDATED: 5 Sep 2007 (20070905/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d his

(FILE 'HOME' ENTERED AT 13:19:13 ON 06 SEP 2007)

FILE 'REGISTRY' ENTERED AT 13:19:44 ON 06 SEP 2007
L1 6 S 91642-28-3/RN OR 72058-22-1/RN OR 38499-27-3/RN OR 38499-26-2

FILE 'HCAPLUS' ENTERED AT 13:20:54 ON 06 SEP 2007


=> s l1

L2 6 L1

=> d l2 1-6 ibib abs

L2 ANSWER 1 OF 6 HCAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 1979:611103 HCAPLUS
DOCUMENT NUMBER: 91:211103
TITLE: Antispasmodic
INVENTOR(S): Mndzhoyan, O. L.; Avetisyan, S. A.; Akopyan, N. E.;
Gerasimyan, D. A.
PATENT ASSIGNEE(S): Institute of Fine Organic Chemistry, Academy of
Sciences, Armenian S.S.R., USSR
SOURCE: Ger. Offen., 26 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	---	-----	-----	-----
DE 2759051	A1	19790712	DE 1977-2759051	19771230
PRIORITY APPLN. INFO.: GI			DE 1977-2759051	A 19771230



AB The phenylsuccinimide I, useful as a muscle relaxant in treating epilepsy with mild seizures, was prepared Thus, 4-Me₂CHOC₆H₄CH(CO₂H)CH₂CO₂H was warmed 2-3 h with Ac₂O to give the corresponding succinic anhydride, which, in EtOAc, was treated with NH₃-Et₂O to give the 2 isomeric α-(4-isopropoxyphenyl)succinamidic acids. These were cyclized by heating to 200-20° with H₂O removal to give 68-70% I. Tests of I with mice and rats gave ED₅₀ 86, 110, 77, and 90 mg/kg as a muscle relaxant in the korasol, strychnine, electroshock, and camphor tests, resp.

L2 ANSWER 2 OF 6 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1977:439351 HCAPLUS

DOCUMENT NUMBER: 87:39351

TITLE: Studies of semisynthetic penicillins. XI. The 6-aminopenicillane derivatives of p-alkoxyphenyl- and p-alkoxybenzylsuccinic acids. Ester penicillins
AUTHOR(S): Mndzhoyan, Sh. L.; Manucharyan, I. Z.; Bil'bulyan, S. Z.; Ter-Zakharyan, Yu. Z.; Paronikyan, R. V.; Kazaryan, E. V.; Mndzhoyan, A. L.


CORPORATE SOURCE: Inst. Tonkoi Org. Khim. im. Mndzhoyana, Yerevan, USSR
SOURCE: Khimiko-Farmatsevticheskii Zhurnal (1977), 11(3), 49-53

CODEN: KHFZAN; ISSN: 0023-1134

DOCUMENT TYPE: Journal

LANGUAGE: Russian

GI



I, R=R¹CH(CO₂Me)CH₂CONH

II, R=R¹CH(CH₂CO₂Me)CONH

AB Penicillanic acid derivs. I and II [R¹ = p-(C1-4 alkoxy)phenyl, p-(C1-4 alkoxy)benzyl] were obtained in 40-64% yields by treating 6-aminopenicillanic acid with the corresponding Me esters of succinic acid. I and II are effective bactericides.

L2 ANSWER 3 OF 6 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1972:539560 HCAPLUS

DOCUMENT NUMBER: 77:139560

TITLE: Ammonolysis of p-alkoxyphenylsuccinic acid anhydrides

AUTHOR(S): Avetisyan, S. A.; Midzhoyan, O. L.

CORPORATE SOURCE: Inst. Tonkoi Org. Khim. im. Mndzhoyana, Erevan, USSR

SOURCE: Armyanskii Khimicheskii Zhurnal (1972), 25(6), 512-17

CODEN: AYKZAN; ISSN: 0515-9628

DOCUMENT TYPE: Journal

LANGUAGE: Russian

AB Ammonolysis of p-alkoxy-phenylsuccinic acid anhydrides gave an α-isomer, p-ROC₆H₄CH-(CONH₂)CH₂CO₂H (R = Me, Et, Br), and larger amts. of a β-isomer, p-ROC₆H₄CH(CO₂H)CH₂CONH₂, compared with the unsubstituted phenyl analogs which gave the opposite ratio of α- and β-isomers. The increase in the β-isomer with alkoxy substitution was explained by its resonance effect.

L2 ANSWER 4 OF 6 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1971:448636 HCAPLUS
 DOCUMENT NUMBER: 75:48636
 TITLE: Derivatives of dibasic carboxylic acids. XXXIV.
 N-Methyl- α -(p-alkoxyphenyl)succinimides
 AUTHOR(S): Avetisyan, S. A.; Mndzhoyan, O. L.
 CORPORATE SOURCE: Inst. Tonkoi Org. Khim., Erevan, USSR
 SOURCE: Armyanskii Khimicheskii Zhurnal (1971), 24(2), 137-45
 CODEN: AYKZAN; ISSN: 0515-9628
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian

AB Di-Et malonate was condensed with p-ROC6H4CHO in the presence of piperidine and AcOH to give 54-87% p-ROC6H4CH:C(CO2Et)2 (I, R = Me, Et, Pr, iso-Pr, Bu, iso-Bu, |amyl, isoamyl). Addition of HCN from aqueous-alc.

NaCN to I gave a mixture of β -(p-alkoxyphenyl)- β -cyanopropionic (II), (p-alkoxyphenyl)succinamic (III), and (p-alkoxyphenyl)succinic acids. II are formed predominantly from I (R = Me, Et, Pr). I (R = Bu) yielded a mixture which gave (p-butoxyphenyl)succinimide and (p-butoxyphenyl)- β -acrylic acid on heating. Anhydrides of substituted succinic acids were obtained by treating the acids with Ac2O. The N-Me derivs. of III were obtained from the anhydrides and MeNH2 at room temperature. N-Methyl(p-alkoxyphenyl)succinimides were obtained by heating III. The spasmolytic activities of III are lower than those of N-substituted (p-alkoxyphenyl)succinimides. Thus, N-methylation increases the spasmolytic activity of phenyl succinimides but reduces it in their p-alkoxy derivs.

L2 ANSWER 5 OF 6 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1963:39491 HCAPLUS
 DOCUMENT NUMBER: 58:39491
 ORIGINAL REFERENCE NO.: 58:6665e-h,6666a-c
 TITLE: Syntheses and physical chemical studies of substituted ethyl 2-cyano-2-propenoates and their derivatives. II. Preparation of substituted ethyl 2,3-dicyanopropanoates and the study of the mechanism of their hydrolysis. The corresponding succinic acids and some of their nitrogen derivatives
 AUTHOR(S): Carrie, Robert
 CORPORATE SOURCE: Univ. Rennes, Fr.
 SOURCE: Bulletin de la Societe Scientifique de Bretagne (1962), 37, 29-58
 CODEN: BSSBAS; ISSN: 0037-9581
 DOCUMENT TYPE: Journal
 LANGUAGE: Unavailable

AB RR'C:C(CN)CO2Et (10 g.) and 30 mL. EtOH were mixed at 95°, the solution boiled and 5 g. KCN in 15 mL. H2O added, the mixture refluxed and cooled, made acid with HCl, and diluted with 180 mL. H2O; an oil separated and was extracted with Et2O, dried, and NCCRR'CH(CN)CO2Et (II) obtained by distillation

in vacuo. The following II were prepared (R, R', % yield, and m.p. or b.p. given): Ph, H, 90, m. (65°; Ph, Me, --, m. 77-8°; 4-O2NC6H4, Me, --, m. 76°; 4-Cl-C6H4, Me, --, b1 170°; 4-MeC6H4, Me, --, b1 171-3°; 4-MeOC6H4, Me, --, b3 198-200°. Other II prepared were: Ph, Ph; Ph, PhCH2; PhCH2, PhCH2. A dicyanopropanoate ester (5 g.) was dissolved in 70 g. 93% H2SO4, and the solution kept 6 h. at room temperature and poured onto crushed ice to give H2NOCCRR'CH(CONH2)CO2Et (III). III prepared in this manner were (R, R', and m.p. given): Ph, H,

252-4°; Ph, Me, 186-7°; 4-O₂NC₆H₄, Me, 193-4°;
 4-ClC₆H₄, Me, 207-8°; 4-MeC₆H₄, Me, 174°; 4-MeOC₆H₄, Me,
 204°; Ph, Ph, 154°. Diamide ester (2 g.) was dissolved in a
 50 mL. H₂O, and acidified with HCl to precipitate IV. IV prepared by this method
 were (R, R', and m.p. given): Ph, H, 218°; Ph, Me, 201-2°;
 4-O₂NC₆H₄, Me, 235-6°; 4-ClC₆H₄, Me, 213°; 4-MeC₆H₄, Me,
 186°; 4-MeOC₆H₄, Me, 180-2°. This treatment of III (R = R'
 = Ph) gave the Na salt of the diamide acid, m. 247-50°, and
 acidification of the salt with HCl gave the diamide acid. m.
 135-40°. NCCRR'CH₂CN (V, R = Ph, R' = H) was prepared by treating I
 (R = Ph, R' = H) with KCN in alc. at boiling, yield 55-60%, m. 65°.
 II (R = 4-XC₆H₄, R' = Me) (10 g.) was saponified with N Na₂CO₃ in 200 mL. 50%
 H₂O-alc. containing 5 g. KCN by refluxing 2-3 h. and the mixture was poured
 into 500-600 mL. H₂O to give 4-XC₆H₄CMe-(CN)CH₂CN (VI) (X, % yield, and m.p.
 given): NO₂, 52-6, 139°; Cl, 75-80, 49°; H, 76-80,
 29°; Me, 82-5, 49-50°; MeO, 81-4, 51-2°; OH, 78-81,
 110-20°; NH₂, 75-8, 69°. Similarly prepared was
 2,2-diphenylsuccinonitrile, 85-90% yield, m. 112°. Various
 2-methyl-2-arylsuccinamides were prepared by treatment of the
 succinonitriles with cold concentrated H₂SO₄ (aryl, % yield, and m.p. given):
 4-O₂NC₆H₄, 75, 184°; 4-ClC₆H₄, 40, 195°; Ph, 30,
 145°; 4-MeC₆H₄, 40, 196°. Some of these succinonitriles
 were converted to the corresponding cyano amides when heated with 0.25N
 NaOH (50% H₂O-alc.). Compds. prepared, where R = 4-XC₆H₄ and R' = Me, were
 (X and m.p. given): NO₂, 296-8°; Cl, 247-8°; H,
 258-60°; 255-6°; MeO, 249-50°; NH₂, 260°. The
 reaction mixture, after separation of amide nitrile, was acidified to give IV
 (R = p-XC₆H₄, R' = Me) (X and m.p. given): NO₂, 159°; Cl, 152°;
 H, 81°; Me, 102°; MeO, 108°; NH₂, 154°. Some
 amide acids, RR'C(CONH₂)CH₂CO₂H, were isolated: X (as above) = NO₂, Cl,
 and MeO, in yields of 6-7, 7-8, and 11-12%, resp. Alkaline hydrolysis of some
 succinonitriles gave the corresponding succinic acids, HO₂CCRR'CH₂CO₂H
 (VII) (R, R', % yield, and m.p. given): Ph, H, 78-88, 167°; Ph, Ph,
 88-9, 107-9°; VII (R' = Me, R = 4-XC₆H₄) (X given): 85, --; Cl, 93,
 185°; Me, 85, 187-8°; MeO, 95, 185°; OH, 90,
 196-7°; NO₂, 55, 142°; NH₂, 80, decomposed 216-18°.
 VII were treated with MeOH and concentrated H₂SO₄ to form the mono- and di-Me
 esters (R' = Me, R = 4-XC₆H₄) (X, yield, and m.p. of half ester, yield of
 diester given): Cl, 66, 90-1°, 24; Me, 60, 82-3°, 22; Me,
 68, 91-2°, 27. The acid group of the monoester was on the
 substituted C. The half ester of α-methyl-α-(4-
 methylphenyl)succinic acid gave the di-Me ester after treatment with
 Me₂SO₄, m. 38°. Half esters where the acid group was on the
 unsubstituted C were prepared by treatment of the diester with NaOH in alc.
 Compds. prepared were (X as above, % yield, and m.p. given): Cl, 52,
 80°; MeO, 58, 105°; Me, 46, 105°.

L2 ANSWER 6 OF 6 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1961:59332 HCAPLUS


DOCUMENT NUMBER: 55:59332

ORIGINAL REFERENCE NO.: 55:11353e-h

TITLE: Careful hydrolysis of some substituted
2-phenyl-2-methyl-3-carbethoxysuccinonitriles

AUTHOR(S): Carrie, Robert
CORPORATE SOURCE: Fac. sci. Rennes, Fr.
SOURCE: Compt. rend. (1960), 251, 2981-3
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable

AB When X-substituted derivs. of title compound, generally 2-methyl-2-[4-(X-substituted)-phenyl]-3-carbethoxysuccinonitrile (I), were hydrolyzed with hot N Na₂CO₃ in H₂O-EtOH, 1st the carbethoxy group was hydrolyzed, then the unstable carboxy group eliminated to give 2-methyl-2-[4-(X-substituted)phenyl]succinonitrile (II). From I the following II were obtained (X, m.p., % yield, and reaction time in hrs. given): NO₂, 139°, 52-6, 2.5; Cl, 49°, 75-80, 3; H, 29°, 76-80, 3; Me, 49-50°, 83-5, 3; OMe, 51-2°, 81-4, 2.5; OH, 119-120°, 78-81, 3; NH₂, 69°, 75-81, 2. I hydrolyzed with N/2 NaOH by boiling 0.5 hr. in H₂O-EtOH gave 25% 2-methyl-2-[4-(X-substituted)-phenyl]succino-1-nitrile-4-amide (III) or 2-methyl-2-[4-(X-substituted)-phenyl] succino-4-nitrile-1-amide (IV) and 45% 2-methyl-2-[4-(X-substituted)-phenyl]-succinimide (V). III or IV prepared were (X and m.p. given): NO₂, 296-8°; Cl, 247-8°; H, 258-60°; Me, 255-6°; OMe, 249-50° (with 0.5H₂O); NH₂, 260° (with 0.5H₂O). V prepared were: NO₂, 159°; Cl, 152°; H, 81°; Me, 102°; OMe, 108°; NH₂, 154°. II hydrolyzed with N NaOH in H₂O-EtOH by boiling 1 hr. gave 26-30% V, but also 2-methyl-2-[4-(X-substituted)-phenyl] succinic 4-acid-1-amide (VI) and 2-methyl-2-[4-(X-substituted)-phenyl]succinic acid (VII). II gave the following V (X, % yield, and m.p. given): NO₂, 29, 180°; Cl, 16, 197-8°; OMe, 33, 189°. I treated with cold 93% H₂SO₄ 6 hrs. gave 2-methyl-2-[4-(X-substituted)-phenyl]-3-carbethoxysuccindiamide (VIII) and 2-methyl-2-[4-(X-substituted)-phenyl]-3-carbamoylsuccinimide (IX). I gave the following VIII: NO₂, 193-4°; Cl, 207-8°; Me, 174°; OMe, 204°. The following IX: NO₂, 235-6°; Cl, 213°; Me, 186°; OMe, 180-2°. It was found that the electronic influence of X-substitution on the reactivity of I or II was weak.

[Home](#) | [Index](#) | [Resources](#) | [Contacts](#) | [Internet](#) | [Search](#)[Home](#) > [Ref](#)

Reference Delivery Request Confirmation

Thank you, MARIALOUIA LAO. Your request (shown below) has been successfully sent to the STIC staff and a confirmation email was also sent to your own email address at marialouisa.lao@uspto.gov.

Your name: MARIALOUIA LAO
Email address: MARIALOUIA.LAO@USPTO.GOV
Employee number: 82608
Art Unit: GROUP ART UNIT 1621
Office Location: REM 05C25
Phone Number: (571)272-9930
Application Number: 10/569812

Author (if known): Teshirogi, Takuma
Article or Chapter Title: Aliphatic polyimides from phenylene bis(succinic anhydride) and bis(glutaric anhydride)
Journal or Book Title: Journal of Polymer Science, Part A: Polymer Chemistry
Volume and issue (for articles): 25(1)
Year of Publication: 1987
Page numbers: 31-6
Other Identifying Information (Edition, ISSN, ISBN, Citation, etc.): CODEN: JPACEC; ISSN: 0887-624X CORPORATE
SOURCE: Macromol. Res. Lab., Yamagata Univ., Yonezawa, 992, Japan
Format preferred for results:

Click here to [Request Another Reference](#).


Submit questions, comments and suggestions to [Kristin Vajs](#)

To report technical problems, contact [STIC Web Designer](#)

If you cannot access a file because of a missing or non-working plugin, please contact the Help Desk at 2-9000 for installation assistance.

[Intranet Home](#) | [Index](#) | [Resources](#) | [Contacts](#) | [Internet](#) | [Search](#) | [Firewall](#) | [Web Services](#)

Last modified 09/06/2007 13:03:41

[Home](#) [Index](#) [Resources](#) [Contacts](#) [Internet](#) [Search](#)[Home](#) > [B:](#)

Reference Delivery Request Confirmation

Thank you, MARIALOUIA LAO. Your request (shown below) has been successfully sent to the STIC staff and a confirmation email was also sent to your own email address at marialouisa.lao@uspto.gov.

Your name: MARIALOUIA LAO
Email address: MARIALOUIA.LAO@USPTO.GOV
Employee number: 82608
Art Unit: GROUP ART UNIT 1621
Office Location: REM 05C25
Phone Number: (571)272-9930
Application Number: 10/569812

Author (if known): Avetisyan, S. A.; Midzhoyan, O. L.
Article or Chapter Title: Ammonolysis of p-alkoxyphenylsuccinic acid anhydrides
Journal or Book Title: Armyanskii Khimicheskii Zhurnal
Volume and issue (for articles): 25 (6)
Year of Publication: 1972
Page numbers: 51-17
Other Identifying Information (Edition, ISSN, ISBN, Citation, etc.): TITLE: Ammonolysis of p-alkoxyphenylsuccinic acid anhydrides AUTHOR(S): Avetisyan, S. A.; Midzhoyan, O. L. CORPORATE SOURCE: Inst. Tonkoi Org. Khim. im. Mndzhoyana, Erevan, USSR SOURCE: Armyanskii Khimicheskii Zhurnal (1972), 25(6), 512-17 CODEN: AYKZAN; ISSN: 0515-9628 DOCUMENT TYPE: Journal LANGUAGE: Russian
Format preferred for results:

Click here to [Request Another Reference](#).


Submit questions, comments and suggestions to [Kristin Vajs](#)

To report technical problems, contact [STIC Web Designer](#)

If you cannot access a file because of a missing or non-working plugin, please contact the Help Desk at 2-9000 for installation assistance.

[Intranet Home](#) | [Index](#) | [Resources](#) | [Contacts](#) | [Internet](#) | [Search](#) | [Firewall](#) | [Web Services](#)

Last modified 09/06/2007 13:05:53

[Home](#) [Index](#) [Resources](#) [Contacts](#) [Internet](#) [Search](#)[Home](#) > [Back](#)

Reference Delivery Request Confirmation

Thank you, MARIALOUISA LAO. Your request (shown below) has been successfully sent to the STIC staff and a confirmation email was also sent to your own email address at marialouisa.lao@uspto.gov.

Your name: MARIALOUISA LAO
Email address: MARIALOUISA.LAO@USPTO.GOV
Employee number: 82608
Art Unit: GROUP ART UNIT 1621
Office Location: REM 05C25
Phone Number: (571)272-9930
Application Number: 10/569812

Author (if known): Avetisyan, S. A.; Midzhoyan, O. L.
Article or Chapter Title: Derivatives of dibasic carboxylic acids. XXXIV.
Journal or Book Title: Armyanskii Khimicheskii Zhurnal
Volume and issue (for articles): 24 (2)
Year of Publication: 1971
Page numbers: 137-45
Other Identifying Information (Edition, ISSN, ISBN, Citation, etc.): ACCESSION NUMBER: 1971:448636 HCAPLUS <> DOCUMENT NUMBER: 75:48636 TITLE: Derivatives of dibasic carboxylic acids. XXXIV. N-Methyl-a-(p-alkoxyphenyl) succinimides AUTHOR(S): Avetisyan, S. A.; Mndzhoyan, O. L. CORPORATE SOURCE: Inst. Tonkoi Org. Khim., Erevan, USSR SOURCE: Armyanskii Khimicheskii Zhurnal (1971), 24(2), 137-45 CODEN: AYKZAN; ISSN: 0515-9628 DOCUMENT TYPE: Journal LANGUAGE: Russian
Format preferred for results:

Click here to [Request Another Reference](#).



Submit questions, comments and suggestions to [Kristin Vajs](#)

To report technical problems, contact [STIC Web Designer](#)

If you cannot access a file because of a missing or non-working plugin, please contact the Help Desk at 2-9000 for installation assistance.

[Intranet Home](#) | [Index](#) | [Resources](#) | [Contacts](#) | [Internet](#) | [Search](#) | [Firewall](#) | [Web Services](#)

Last modified 09/05/2007 13:07:48

[Home](#) | [Index](#) | [Resources](#) | [Contacts](#) | [Internet](#) | [Search](#)[Home](#) > [Re](#)

Reference Delivery Request Confirmation

Thank you, MARIALOUISA LAO. Your request (shown below) has been successfully sent to the STIC staff and a confirmation email was also sent to your own email address at marialouisa.lao@uspto.gov.

Your name: MARIALOUISA LAO
Email address: MARIALOUISA.LAO@USPTO.GOV
Employee number: 82608
Art Unit: GROUP ART UNIT 1621
Office Location: REM 05C25
Phone Number: (571)272-9930
Application Number: 10/569812

Author (if known): Carrie, Robert
Article or Chapter Title: Syntheses and physical chemical studies of substituted
Journal or Book Title: Bulletin de la Societe Scientifique de Bretagne
Volume and issue (for articles): 37
Year of Publication: 1962
Page numbers: 29-58
Other Identifying Information (Edition, ISSN, ISBN, Citation, etc.): ACCESSION NUMBER: 1963:39491 HCAPLUS <>
DOCUMENT NUMBER: 58:39491 ORIGINAL REFERENCE NO.: 58:6665e-h,6666a-c TITLE: Syntheses and physical
chemical studies of substituted ethyl 2-cyano-2-propenoates and their derivatives. II. Preparation of substituted ethyl 2,3-
dicyanopropanoates and the study of the mechanism of their hydrolysis. The corresponding succinic acids and some of their
nitrogen derivatives AUTHOR(S): Carrie, Robert CORPORATE SOURCE: Univ. Rennes, Fr. SOURCE: Bulletin de la Societe
Scientifique de Bretagne (1962), 37, 29-58 CODEN: BSSBAS; ISSN: 0037-9581 DOCUMENT TYPE: Journal LANGUAGE:
Unavailable

Format preferred for results:

Click here to [Request Another Reference](#).


Submit questions, comments and suggestions to [Kristin Vajs](#)

To report technical problems, contact [STIC Web Designer](#)


If you cannot access a file because of a missing or non-working plugin, please contact the Help Desk at 2-9000 for installation assistance.

[Intranet Home](#) | [Index](#) | [Resources](#) | [Contacts](#) | [Internet](#) | [Search](#) | [Firewall](#) | [Web Services](#)


Last modified 09/05/2007 13:09:32



succinamide



phenylsuccinimide



succinonitrile